
STAS.
Transform your room.

Product catalogue



A flexible wall and ceiling decor without wall damage

Clear communication and route indication

Hanging art safely and professionally

A tidy work and living environment

STAS
picture hanging systems



Index

Rail systems	4
Rail systems with lighting	23
Hooks and cords for rail systems	31
Magnetic hanging solutions	40
Other hanging solutions	42
Complementary products	59
Product index	61

STAS picture hanging systems

What makes a room comfortable?
You'd be surprised how much influence the items hanging on walls and from the ceiling have on the feeling of comfort of a room. Wall decorations, advertisements, wayfinding signs… all of these affect people's behaviour. At STAS, we provide flexible picture hanging systems and accessories that are aimed to improve rooms. And we believe that these solutions should serve the purpose of the room itself.

We make sure to provide a total solution for your room, so that…
… kids in the classroom can focus without any distractions from a cluttered classroom wall
… art lovers can enjoy an art collection that hangs neatly and secured
… restaurant patrons opt for a cup of coffee after dessert
… meetings in the office become more efficient
… residents of nursing homes get inspired and relive beautiful memories
… and you can change your home interior whenever you want, to your taste

With STAS you'll never have to drill unnecessary holes in your walls again and you can change or move your wall decor whenever you want. From light to dark and from functional to decorative.

So … how are you going to change your interior?

STAS. Transform your room.



Index

Rail systems

Rail	Weight capacity	Installation	Adjoining to ceiling?	Page
STAS minirail	25 kg/m	wall	no	5
STAS cliprail	20 kg/m	wall	no	6
STAS cliprail max	25 kg/m	wall	yes	7
STAS prorail max	45 kg/m	wall	yes	8
STAS cliprail pro	45 kg/m	wall	no	9
STAS flowtrack	30 kg/m	wall	no	10
STAS plasterrail	15 kg/m	wall	n/a	11
STAS windsor	20 kg/m	wall	no	12
STAS riva	20 kg/m	wall	yes	12
STAS Monarch line	100 kg/m	wall	no	13
STAS j-rail	25 kg/m	wall	no	14
STAS j-rail max	100 kg/m	wall	no	15
STAS u-rail	20 kg/m	ceiling	n/a	16
STAS plasterboard rail	25 kg/m	wall	yes	17
STAS drop ceiling rail	25 kg/m	wall	yes	18
STAS prorail flat	45 kg/m	ceiling	yes	19
STAS prorail crown	45 kg/m	wall	n/a	20
STAS evoluon	20 kg/m	wall	no	21
STAS drywallXpress	30 kg/m	wall	no	22











STAS minirail

sleek and strong

STAS minirail is characterised by its extremely slim, narrow design and innovative mounting method.


The rail itself is just 16 mm in height, yet it can carry up to 25 kg per linear metre. Thanks to an innovative screw, the STAS clipscrew, the rail can easily be fixed to the wall.

STAS minirail is perfect for creating an elegant, unobtrusive hanging system for light to mediumweight objects.

TÜV NORD
TÜV Nederland QA
2400-A-729
Picture Hanging Systems

INSTRUCTION

- dimensions 9 x 16 mm
- length 150, 200 or 300 cm
- aluminium
- white, alu or black
- wall mountable, not adjoining to ceiling
- weight capacity 25 kg/m
- 5 years warranty



Article nr.	Description
RM10150	150 cm minirail white
RM10120	200 cm minirail white
RM10130	300 cm minirail white
RM30150	150 cm minirail alu
RM30120	200 cm minirail alu
RM30130	300 cm minirail alu
RM20150	150 cm minirail black
RM20120	200 cm minirail black
RM20130	300 cm minirail black



RY10200 combicap white
RY30200 combicap alu
RY20200 combicap black
(2 x end cap / 1 x corner cap)



RD10200 rail connector



SR10200 clipscrew torx
(metal, 3 per m[1])



SR50700 plug

For matching hooks and cords, see page 32.





RAL9016

RAL9006

RAL9005

STAS cliprail

the perfect basis


STAS cliprail is a high-quality picture hanging system without bells and wistles. It is easy to install and feels right at home in every interior.

The cliprail owes its name to the specially designed fastening clip - the STAS railclip - which allows easy fixation to the wall.

TÜV NORD
TÜV Nederland QA
2400-A-729
Picture Hanging Systems

INSTRUCTION

- dimensions 8.2 x 25 mm
- length 150, 200 or 300 cm
- aluminium
- white, alu or black
- wall mountable, not adjoining to ceiling
- weight capacity 20 kg/m
- 5 years warranty



Article nr.	Description
RC10315	150 cm cliprail white
RC10320	200 cm cliprail white
RC10330	300 cm cliprail white
RC30115	150 cm cliprail alu
RC30120	200 cm cliprail alu
RC30130	300 cm cliprail alu
RC20115	150 cm cliprail black
RC20120	200 cm cliprail black
RC20130	300 cm cliprail black



RD10300 end cap white
RD30300 end cap alu
RD20300 end cap black



RD40100 railclip
(3 per m¹)



RD10400 corner cap white
RD30400 corner cap alu
RD20700 corner cap black



RD40200 rail connector

SR50700 plug



SR30600 screw torx
(3 per m¹)

For matching hooks and cords, see page 32.





RAL9016

RAL9006

RAL9005

STAS cliprail max

perfect gap-free ceiling connection

STAS cliprail max is a hanging system for the perfectionist. An extra rim ensures the rail connects beautifully with the ceiling. With this system, your ceiling, wall and picture hanging system unite as one.

The rail is most attractive when fixed to flat ceilings.


STAS cliprail max owes its name to the specially designed fastening clip - the STAS railclip - which allows easy fixation to the wall.

For the best result, you can neatly finish the transition between the STAS cliprail max and the ceiling by adding an (acrylic) sealant.

TÜV NORD
TÜV Nederland QA
2400-A-729
Picture Hanging Systems

INSTRUCTION

- dimensions 8,3 x 31,6 mm
- length 150, 200 or 300 cm
- aluminium
- white, alu or black
- wall mountable, adjoining to ceiling
- weight capacity 25 kg/m
- 5 years warranty



Article nr.	Description
RC10215	150 cm cliprail max white
RC10220	200 cm cliprail max white
RC10230	300 cm cliprail max white
RC30215	150 cm cliprail max alu
RC30220	200 cm cliprail max alu
RC30230	300 cm cliprail max alu
RC20215	150 cm cliprail max black
RC20220	200 cm cliprail max black
RC20230	300 cm cliprail max black



RY10100 combicap white
RY30100 combicap alu
RY20300 combicap black
(2 x end cap / 1 x corner cap)

RD40100 railclip
(3 per m¹)



RD40200 rail connector

SR30600 screw torx
(3 per m¹)



SR50700 plug

For matching hooks and cords, see page 32.









STAS prorail max


perfectly fitting to the ceiling

The STAS prorail max is a picture hanging system for the perfectionist. The top rim ensures that the rail fits tightly against the ceiling.

With this picture hanging system, ceiling, wall and picture rail unite as one. It is also possible to hide cables behind the top rim. Neatly finish the transition between the STAS prorail max and the ceiling with an (acrylate) kit for an optimal result.

INSTRUCTION

- dimensions 11,3 x 38,3 mm
- length 150, 200 or 300 cm
- aluminium
- white or alu
- wall mountable, adjoining to ceiling
- weight capacity 45 kg/m
- 5 years warranty



Article nr.	Description
RM10415	150 cm prorail max white
RM10420	200 cm prorail max white
RM10430	300 cm prorail max white
RM30415	150 cm prorail max alu
RM30420	200 cm prorail max alu
RM30430	300 cm prorail max alu



VE10400 end cap white
VE30400 end cap alu



VD20500 corner cap white
VD30500 corner cap alu



SR50700 plug



SR30600 screw torx
(3 per m¹)



RD40100 railclip
(3 per m¹)



RD40200 rail connector

For matching hooks and cords, see page 32.











STAS cliprail pro

elegant powerhouse

STAS cliprail pro is ideal for hanging heavier objects on walls thanks to its thick-walled profile. This rail can carry an amazing 45 kg per linear metre.


Despite its large weight-bearing capacity, the STAS cliprail pro is an elegant, unobtrusive rail that can be used in professional environments as well as in the home.

STAS cliprail pro owes its name to the specially designed fastening clip - the STAS railclip - which allows easy fixation to the wall.

TÜV NORD
TÜV Nederland QA
2400-A-729
Picture Hanging Systems

INSTRUCTION

- dimensions 11,3 x 28 mm
- length 150, 200 or 300 cm
- aluminium
- white, alu or black
- wall mountable, not adjoining to ceiling
- weight capacity 45 kg/m
- 5 years warranty



Article nr.	Description
VC10150	150 cm cliprail pro white
VC10200	200 cm cliprail pro white
VC10300	300 cm cliprail pro white
VC30150	150 cm cliprail pro alu
VC30200	200 cm cliprail pro alu
VC30300	300 cm cliprail pro alu
VC20150	150 cm cliprail pro black
VC20200	200 cm cliprail pro black
VC20300	300 cm cliprail pro black



VE10200 end cap white
VE30200 end cap alu
VE20200 end cap black



VD10400 corner cap white
VD30400 corner cap alu
VD20400 corner cap black



SR50700 plug



SR30600 screw torx
(3 per m¹)



RD40100 railclip
(3 per m¹)



RD40200 rail connector

For matching hooks and cords, see page 32.







STAS flowtrack

invisible picture hanging system


The STAS flowtrack is the most invisible picture hanging system in our range. By installing a special plastic cover strip (RAL9016), the rail along with screws, seams, gaps, and shadow lines, completely disappears. For a truly seamless finish, the cover strip can be both painted and wallpapered. This allows the STAS flowtrack to be perfectly and invisibly integrated into the interior design.

The result: an invisible and stylish solution for flexibly hanging paintings, frames, and artworks. Combine the STAS flowtrack with the STAS flowtrack hook (mounted from above on the rail), matching perlon cords, optional end caps, corner caps, and corner connectors.

TÜV NORD
TÜV Nederland QA
2400-A-729
Picture Hanging Systems

INSTRUCTION

- dimensions profile 9,3 x 24,8 mm
- length 100 cm
- untreated aluminum with plastic cover strip
- plastic cover strip: RAL 9016 (UV-resistant and non-yellowing)
- rail finish: paintable and wallpaperable
- wall mountable, not adjoining to ceiling
- weight capacity 30 kg/m
- 5 years warranty
- Compatible with: STAS flowtrack hook, perlon cords, end caps, corner caps, and corner connectors



Article nr.	Description
RF30100	100 cm flowtrack

RD50000 endcap white
RD50100 endcap mirrored white



RD50200 corner cap
RD50300 corner cap inside



SR30600 screw torx
(3 per m[1])



RD40800 rail connector




RD40900 corner connector



HW80000 hook

For matching hooks and cords, see page 36.





PATENT PENDING

STAS plasterrail


for the forward thinker

STAS has renewed the design of the STAS plasterrail! The STAS plasterrail is now even better in quality with its renewed design. You attach the aluminium rail to a bare wall with nails and after the rail and the rest of the wall have been plastered, a very narrow opening remains visible in the stucco. As a result, this picture hanging system can be fully integrated into a new wall to be plastered and is therefore virtually invisible.

The renewed design ensures flawless installation, requires only a thin plaster layer of +/- 6 mm and the supplied safety strip ensures that the picture hanging system remains free of stucco. An ideal picture hanging system for renovations and new construction projects!

INSTRUCTION

- dimensions 6,4 x 40 mm
- length 200 cm
- aluminium
- layer thickness stucco 6 mm
- wall mountable, to be integrated into stucco
- weight capacity 15 kg/m
- 5 years warranty



Article nr.	Description
PR30200	200 cm plasterrail including safety strip



For matching hooks and cords, see page 36.





STAS windsor & riva

bring a piece of nature into your home

In addition to aluminum rails, STAS also offers wooden rails in 2 different models. The STAS windsor is elegant and warm where the STAS riva has a more robust look and feel. Two distinctive models, suitable for any interior! Both models are easy to use and each has a different profile for which fitting hooks are available.

Our wooden rails are made out of Ayous wood and are FSC and PEFC certificated. Ayous wood differs from other wood since it does not deform or splinter, and is perfectly suitable to repaint because of its smooth texture. Perfect wood for your picture hanging system! Can be mounted screwed, nailed and glued*.


* The weight capacity of a glued rails is highly dependent on the surface, so care must be taken here. More information on how to best glue our wooden rails can be found on our website www.stasgroup.com

TÜV NORD
TÜV Nederland QA
2400-A-729
Picture Hanging Systems

INSTRUCTION

STAS windsor

- dimensions 18 x 45 mm
- length 120 or 240 cm
- Ayous wood
- wall mountable, not adjoining to ceiling
- weight capacity 20 kg/m
- 5 years warranty




Article nr.	Description
RP50220	120 cm windsor
RP50224	240 cm windsor

STAS riva

- dimensions 17 x 45 mm
- length 120 or 240 cm
- Ayous wood
- wall mountable, adjoining to ceiling
- weight capacity 20 kg/m
- 5 years warranty

For matching hooks and cords, see page 37.



Article nr.	Description
RP50120	120 cm riva
RP50124	240 cm riva






STAS Monarch line


for high-end art exhibitions

The STAS Monarch line is an extremely powerful and reliable hanging system to hang works of art safely. This hanging system has been carefully designed for museums, galleries and valuable private collections.

The STAS Monarch line offers the ultimate solution for securely and elegantly hanging heavy artworks and decorative pieces. This high-performance all-in-one system effortlessly supports up to 100 kg (220 lbs) per meter, combining outstanding strength with a refined visual finish.



- dimensions profile 16,3 x 34,7 mm
- length 300 cm
- aluminium
- RAL 9016
  (any other colour available on request)
- wall mountable, not adjoining to ceiling or built-in installation
- weight capacity 100 kg/m
- 5 years warranty
- high quality, extensively tested (according to ISO/IEC 17025 standard) and TÜV certified



Article nr.	Description
RK10300	Monarch rail 300 cm white
RK70300	Monarch rail 300 cm primer

For matching hooks and cords, see page 33.

PS50316 end cap set



KN30300 rail connector

TÜV NORD
TÜV Nederland QA
2400-A-729
Picture Hanging Systems

INFO

For more information about the STAS Monarch line: www.stasmonarchline.com









STAS j-rail

professional versatility


The design of STAS j-rail was based on the shape of the letter J. This shape allows the rail to be combined in all kinds of different ways using hooks, cords and even rods.

For example, by using a rod instead of a cord or steel cable, moving or alternating works of art on high ceilings becomes a piece of cake. You won't need a ladder, because the rod can be lifted out of the rail from below.

STAS j-rail has a somewhat industrial look and is applied regularly in art galleries and in business premises.

INSTRUCTION

- dimensions 7 x 20 mm
- length 150, 200 or 300 cm
- aluminium
- white or alu
- wall mountable, not adjoining to ceiling
- weight capacity 25 kg/m
- 5 years warranty



Article nr.	Description
RJ10115	150 cm j-rail white
RJ10120	200 cm j-rail white
RJ10130	300 cm j-rail white
RJ30115	150 cm j-rail alu
RJ30120	200 cm j-rail alu
RJ30130	300 cm j-rail alu
	(4 holes per m¹)



SJ10100 screw flush head white
SJ30100 screw flush head alu



SR50700 plug

For matching hooks and cords, see page 34.









STAS j-rail max

heavyweight champion


STAS j-rail max is designed for the heavy objects. The thick-walled aluminium profile is capable of supporting loads of up to 100 kg per linear metre.

What's more, STAS j-rail max is combined with rods instead of cords, which makes alternating and moving heavy works of art on high ceilings a piece of cake. You won't need a ladder, because the rod can be lifted out of the rail from below.

The STAS j-rail max system is also available with theft-delaying security hooks and is often used in art galleries and museums.

INSTRUCTION

- dimensions 9 x 21 mm
- length 150, 200 or 300 cm
- aluminium
- white or alu
- wall mountable, not adjoining to ceiling
- weight capacity 100 kg/m
- 5 years warranty



Article nr.	Description
RJ10215	150 cm j-rail max white
RJ10220	200 cm j-rail max white
RJ10230	300 cm j-rail max white
RJ30215	150 cm j-rail max alu
RJ30220	200 cm j-rail max alu
RJ30230	300 cm j-rail max alu
	(4 holes per m¹)



SJ10200 screw sunk head white
SJ30200 screw sunk head alu



SR50700 plug

For matching hooks and cords, see page 35.





RAL9016

RAL9006



RAL9005

STAS u-rail

suspended ceiling becomes hanging system


STAS u-rail is specially designed for suspended ceilings. The rail is easily and almost invisibly attached to the supporting edge trim of the suspended ceiling.

STAS u-rail is also ideally suited for hanging whiteboards, art or large maps. So now, with just a small modification, your suspended ceiling becomes a versatile picture hanging system, ideal for use in offices, schools and healthcare facilities.

TÜV NORD
TÜV Nederland QA
2400-A-729
Picture Hanging Systems

INSTRUCTION

- dimensions 14 x 6,5 mm
- length 150, 200 or 300 cm
- aluminium
- white, alu or black
- ceiling mountable
- weight capacity 20 kg/m
- 5 years warranty



Article nr.	Description
RP10115	150 cm u-rail white
RP10120	200 cm u-rail white
RP10130	300 cm u-rail white
RP30115	150 cm u-rail alu
RP30120	200 cm u-rail alu
RP30130	300 cm u-rail alu
RP20115	150 cm u-rail black
RP20120	200 cm u-rail black
RP20130	300 cm u-rail black

(8 holes per m¹)



SP10100 screw white
SP30100 screw alu
SP20100 screw black

For matching hooks and cords, see page 32.





STAS plasterboard rail

integrated ceiling rail


The STAS plasterboard rail is a built-in picture hanging system for rooms to be built or renovated with plaster, timber or concrete walls and plasterboard ceilings. The picture hanging system together with the wooden framework, is mounted under the beam layer on the wall.

Thanks to the 2 different profiles (9.5 mm / 12.5 mm), plasterboards with a thickness of 9 mm or 12 mm can be slid into the profiles of the STAS plasterboard rail. The result is a tightly finished room with an almost invisible picture hanging system that disappears into the shadow line of the plasterboards.

The STAS plasterboard rail can be used with the STAS cords with cobra.

INSTRUCTION

- dimensions 9,5 mm rail 31 x 36 mm
  dimensions 12,5 mm rail: 34 x 36 mm
- length 200 or 300 cm
- aluminium
- white (RAL 9016)
- wall mountable
- weight capacity 25 kg/m
- 5 years warranty



Article nr.	Description
PC10120	200 cm plasterboard rail 9,5 mm
PC10130	300 cm plasterboard rail 9,5 mm
PC10020	200 cm plasterboard rail 12,5 mm
PC10030	300 cm plasterboard rail 12,5 mm

(5 holes per m¹)



PC10170 inner corner profile 9,5 mm
PC10070 inner corner profile 12 mm
(with corner connector)



PC10180 outside corner profile 9,5 mm
PC10080 outside corner profile 12 mm
(with corner connector)

RD20400 rail connector



RD20500 corner connector



SR10400 hammer fixing plug

For matching hooks and cords, see page 32.





STAS drop ceiling rail

all-in solution for drop ceilings


The STAS drop ceiling rail is an all-in solution for rooms with a drop ceiling. The STAS drop ceiling rail replaces the wooden ceiling tile support strips and the corner profile for installing drop ceilings, and is equipped with a picture hanging system as well.

Thanks to the innovative profile of the STAS drop ceiling rail, the picture hanging system can be mounted directly on the wall. Corner profile and picture hanging system become one. The suspended ceiling plates can be placed in the profile of the STAS drop ceiling rail. The result is an almost invisible picture hanging system that disappears in the shadow line of the drop ceiling.

The STAS drop ceiling rail can be used with the STAS cords with cobra.

INSTRUCTION

- dimensions 31 x 35 mm
- length 200 or 300 cm
- aluminium
- white (RAL 9016)
- wall mountable
- weight capacity 25 kg/m
- 5 years warranty



Article nr.	Description
GC10020	200 cm drop ceiling rail
GC10030	300 cm drop ceiling rail (5 holes per m¹)



GC10070 inner corner profile
(with corner connector)



GC10080 outside corner profile
(with corner connector)

RD20400 rail connector



RD20500 corner connector



SR10400 hammer fixing plug

For matching hooks and cords, see page 32.







STAS prorail flat

almost invisible


The STAS prorail flat is a picture hanging system that can be concealed in plasterwork, flat decorative framework or molding.

This rail system is suitable for newly built and renovations in existing properties. The STAS prorail flat can be mounted on the ceiling and can be used with the STAS cables with cobra.

TÜV NORD
TÜV Nederland QA
2400-A-729
Picture Hanging Systems

INSTRUCTION

- dimensions 31,3 x 18 mm
- length 100, 150, 200 or 300 cm
- aluminium
- white
- ceiling mountable
- weight capacity 45 kg/m
- 5 years warranty



Article nr.	Description
RH10510	100 cm prorail flat white
RH10515	150 cm prorail flat white
RH10520	200 cm prorail flat white
RH10530	300 cm prorail flat white (4 holes per m¹)

RD20400 rail connector



RD20500 corner connector



SR50700 plug



SJ10200 screw

For matching hooks and cords, see page 32.







STAS prorail crown


decorative frame takes the lead

STAS prorail crown is a picture hanging system for wall mounting and can be concealed with a decorative frame of your choice.

TÜV NORD TÜV Nederland QA 2400-A-729 Picture Hanging Systems

INSTRUCTION

- dimensions 12,7 x 37,5 mm
- length 150, 200 or 300 cm
- aluminium
- white
- wall mountable
- weight capacity 45 kg/m
- 5 years warranty



Article nr.	Description
RH10415	150 cm prorail crown white
RH10420	200 cm prorail crown white
RH10430	300 cm prorail crown white (4 holes per m¹)

RD20400 rail connector



RD20500 corner connector



SR50700 plug



SJ10200 screw

For matching hooks and cords, see page 32.







STAS evoluon

bends along with you


From now on, curved walls can also be used optimally with the STAS evoluon! The STAS evoluon has been specially developed for curved walls, but this rail is just as easy to mount on straight walls or (slightly) undulating walls.

The rail is bendable and can be bent perfectly proportional along the contours of a wall by means of a supplied auxiliary tool. In this way, the STAS evoluon provides hanging possibilities for difficult places and walls otherwise unusable for picture rails.

TÜV NORD TÜV Nederland QA 2400-A-729 Picture Hanging Systems

INSTRUCTION

- dimensions 20 x 3 mm
- length 200 cm
- aluminium
- alu
- wall mountable, not adjoining to ceiling
- weight capacity 20 kg/m
- 5 years warranty



Article nr.	Description
TCS30020	200 cm evoluon (4 holes per m¹)



TCS9020 bending mold 30 cm



TCS9016 hook



TCS9012 distance holder




SJ30300 screw



SR50700 plug

For matching hooks and cords, see page 38.





STAS drywallXpress

no stress with the drywallXpress

With the STAS drywallXpress you can mount a picture hanging system on a plaster wall in no time. No need to pick up that drill because you don't have to drill to assemble this system.

The STAS drywallXpress is a complete picture hanging system that consists of clips, STAS cliprail and an auxiliary tool. With the help of the enclosed tool and a hit with a hammer you can easily push the metal clips into your plaster wall. Click the rail onto the clips and combine this picture hanging system with the STAS cords with cobra.


STAS drywallXpress: the easiest picture hanging system in the world!

TÜV NORD
TÜV Nederland QA
2400-A-729
Picture Hanging Systems

INSTRUCTION


STAS drywall clip
- dimensions 23 x 35 x 18 mm
- RVS
- wall mountable, not adjoining to ceiling
- weight capacity 20 kg/m
- 5 years warranty

STAS cliprail
- dimensions 8,2 x 25 mm
- length 150, 200 or 300 cm
- aluminium
- white, alu or black
- wall mountable, not adjoining to ceiling
- weight capacity 20 kg/m
- 5 years warranty



Article nr.	Description
RC10315	150 cm cliprail white
RC10320	200 cm cliprail white
RC10330	300 cm cliprail white
RC30115	150 cm cliprail alu
RC30120	200 cm cliprail alu
RC30130	300 cm cliprail alu
RC20115	150 cm cliprail black
RC20120	200 cm cliprail black
RC20130	300 cm cliprail black

For matching hooks and cords, see page 32.



RD10300 end cap white
RD30300 end cap alu
RD20300 end cap black



RD10400 corner cap white
RD30400 corner cap alu
RD20700 corner cap black



RD40400 drywall clip



RD40501 drywall tool



RT40200 drywall connector



Index

Rail systems with lighting

Rail	Weight capacity	Installation	Adjoining to ceiling?	Page
STAS multirail	45 kg/m[1]	wall	no	24
STAS multirail max	45 kg/m[1]	wall	yes	25
STAS multirail crown	45 kg/m[1]	wall	n/a	26
STAS multirail flat	45 kg/m[1]	ceiling	n/a	27
STAS Wi-Fi smart LED	n/a	n/a	n/a	28
STAS Wi-Fi smart plug	n/a	n/a	n/a	28
STAS spotlights	n/a	n/a	n/a	29
STAS adapters	n/a	n/a	n/a	29
STAS fixtures	n/a	n/a	n/a	30





RAL9016

RAL9006

RAL9005

STAS multirail


hanging and lighting rolled into one

A STAS multirail system is a picture hanging system and artwork lighting rolled into one.

Inside the rail, 12 V wiring (low voltage) has been integrated. Various matching light fixtures can then be clicked into the rail at any position you choose, accentuating your wall decorations. In combination with LED lighting, the STAS multirail is very energy efficient.

INSTRUCTION

- dimensions 11,3 x 28 mm
- length 150, 200 or 300 cm
- aluminium
- white, alu or black
- wall mountable, not adjoining to ceiling
- weight capacity 45 kg/m
- 12 V (low voltage)
- adapter 18W, 36W, 84W
- 5 years warranty on rails, 1 years on accessories



Article nr.	Description
VH10150	150 cm multirail white
VH10200	200 cm multirail white
VH10300	300 cm multirail white
VH30150	150 cm multirail alu
VH30200	200 cm multirail alu
VH30300	300 cm multirail alu
VH20150	150 cm multirail black
VH20200	200 cm multirail black
VH20300	300 cm multirail black



VE10200 end cap white
VE30200 end cap alu
VE20200 end cap black



VD10400 corner cap white
VD30400 corner cap alu
VD20400 corner cap black



SR50700 plug



SR30600 screw torx
(3 per m¹)



RD40100 railclip
(3 per m¹)



RD40200 rail connector



VF50200 conductor 12 V straight



VF50100 conductor 12 V corner

For matching hooks and cords, see page 32.
For matching accessories, see page 28.





RAL9016

RAL9006

STAS multirail max

perfect gap-free ceiling connection


A STAS multirail system is a picture hanging system and artwork lighting rolled into one. Inside the rail, 12 V wiring (low voltage) has been integrated. Various matching light fixtures can then be clicked into the rail at any position you choose, to accentuate your wall decorations.

The STAS multirail max distinguishes itself thanks to the extra rim that ensures a tight fit against flat ceiling surfaces. With this system, your ceiling, wall and picture hanging system unite as one. Cables can be hidden behind the rim.

For the best result, you can neatly finish the transition between the STAS multirail max and the ceiling by applying an (acrylic) sealant.

INSTRUCTION

- dimensions 11,3 x 38,3 mm
- length 200 or 300 cm
- aluminium
- white or alu
- wall mountable, adjoining to ceiling
- weight capacity 45 kg/m
- 12 V (low voltage)
- adapter 18W, 36W, 84W
- 5 years warranty on rails, 1 year on accessories



Article nr.	Description
VC10420	200 cm multirail max white
VC10430	300 cm multirail max white
VC30420	200 cm multirail max alu
VC30430	300 cm multirail max alu



VE10400 end cap white
VE30400 end cap alu



VD20500 corner cap white
VD30500 corner cap alu



SR50700 plug



SR30600 screw torx
(3 per m¹)



RD40100 railclip
(3 per m¹)



RD40200 rail connector



VF50200 conductor 12 V straight



VF50100 conductor 12 V corner

For matching hooks and cords, see page 32.
For matching accessories, see page 28.







STAS multirail crown

moulding in the spotlights


A STAS multirail system is a picture hanging system and artwork lighting rolled into one.

Inside the rail, 12 V wiring (low voltage) has been integrated. Various matching light fixtures can then be clicked into the rail at any position you choose, to accentuate your wall decorations.

STAS multirail crown is a picture hanging system that is mounted virtually invisibly on the wall and can be combined with a moulding of your choice.

INSTRUCTION

- dimensions 12,7 x 37,5 mm
- length 200 or 300 cm
- aluminium
- white
- wall mountable
- weight capacity 45 kg/m
- 12 V (low voltage)
- adapter 18W, 36W, 84W
- 5 years warranty on rails, 1 year on accessories



Article nr.	Description
RC10420	200 cm multirail crown white
RC10430	300 cm multirail crown white

RD20400 rail connector



SR50700 plug



VF50200 conductor
12 V straight



RD20500 corner connector



SJ10200 screw
(4 per m¹)



VF50100 conductor
12 V corner

For matching hooks and cords, see page 32.
For matching accessories, see page 28.







STAS multirail flat

concealed class


A STAS multirail system is a picture hanging system and artwork lighting rolled into one.

Inside the rail, 12 V wiring (low voltage) has been integrated. Various matching light fixtures can then be clicked into the rail at any position you choose, to accentuate your wall decorations.

STAS multirail flat is a ceiling-mounted picture hanging system that can be virtually invisibly integrated with stucco work or with a single or double flat moulding.

INSTRUCTION

- dimensions 31,3 x 18 mm
- length 200 or 300 cm
- aluminium
- white
- ceiling mounting
- weight capacity 45 kg/m
- 12 V (low voltage)
- adapter 18W, 36W, 84W
- 5 years warranty on rails, 1 year on accessories



Article nr.	Description
RC10520	200 cm multirail flat white
RC10530	300 cm multirail flat white

RD20400 rail connector



SR50700 plug



VF50200 conductor
12 V straight



RD20500 corner connector



SJ10200 screw
(4 per m¹)



VF50100 conductor
12 V corner

For matching hooks and cords, see page 32.
For matching accessories, see page 28.





eSMART by STAS

Works with WiFi
Warm/cool white & RGB
Timer
Remote control
Group control
Energy saving

STAS multirail accessories

smart lighting

STAS Wi-Fi smart LED

The STAS Wi-Fi smart LED is a smart LED lamp that can be used in combination with all STAS fixtures. You don't have to be a technician to install smart LED lamps, a good Wi-Fi signal simply is enough. With the accompanying free app and connected to your Wi-Fi network, you can easily control the STAS Wi-Fi smart LED lamps. Sold separately, there's a remote control available to use with the STAS Wi-Fi smart LED's to control the lamps. By using either the remote control or the app, the STAS Wi-Fi smart LED lamps are 100% continuously dimmable and have a power switch.

The app has extra functions: illuminate each painting individually with the desired hue and light intensity (2700K warm light > 6500K daylight). It's also possible to create groups for certain rooms and set a timer so your lighting will switch on and off automatically on time. As icing on the cake, STAS Wi-Fi smart LED also supports voice control via Amazon Alexa, Siri and Google Home.

1 year warranty applies to all multirail accessories.

INSTRUCTION

STAS Wi-Fi smart LED	VL20300W - VL20300Z
Power	5 W
Output equivalent	30 W
Max. consumption	5 W
Light intensity	300 lm
Infrared radiation	none
Colour temperature cool	6500 K + RGB
Colour temperature warm	2700 K
	Warm 2700K – Cool 6500K
Light beam	standard - diffuse
Beam angle	100°
Socket	MR16-GU5.3
Vibrational impact	low
Lifespan	15000
Energy class	A+

Article nr.	Description
VL20300W	Wi-Fi smart-led white
VL20300Z	Wi-Fi smart-led silver
VT40800	remote control for Wi-Fi smart-led
VT30700	Wi-Fi smart plug



Download the Smart life app:

DOWNLOAD APP

GET IT ON Google Play

Download on the App Store

Compatible with:
Google Assistent · Siri · Amazon Alexa

System requirements
· The Tuya smart app requires system iOS 9 or higher, Android 4.4 or higher.
· Provide a properly functioning wireless network and internet connection.



STAS Wi-Fi smart plug

With the STAS Wi-Fi smart plug, you can remotely operate the STAS multirail or other electronic devices. All you need is the STAS Wi-Fi smart plug, a Wi-Fi connection and the free app. You can easily switch the STAS multirail on and off with the button on the smart plug. With the app you have extra functions:

- Control your STAS Wi-Fi smart plug connected devices from wherever you are
- Handy timer function
- Voice support in combination with Amazon Alexa, Siri or Google Home



STAS multirail accessories

Spotlights


STAS offers 2 different regular LED spotlights. Your choice depends on your personal preference in terms of energy efficiency, light colour, warmth radiation and the shape and intensity of the light beam. All spotlights fit on all light fixtures. 1 year warranty applies to all multirail accessories.

STAS ledspot 3,5 W / 27°
Emits a narrow beam of light suitable for small paintings.



	VL10200
Power	3.5 W
Output equivalent	20 W
Max. consumption	3.5 W
Light intensity	200 lm
Infrared radiation	none
Light colour	warm white
Colour temperature	2700 K
Light beam	standard - diffuse
Beam angle	27°
Socket	MR11-GU4.0
Vibrational impact	low
Lifespan	40.000
Energy class	A+

STAS ledspot 3,5 W / 95°
Emits a wide beam of light suitable for large artworks.



	VL10900
Power	3.5 W
Output equivalent	20 W
Max. consumption	3.5 W
Light intensity	200 lm
Infrared radiation	none
Light colour	warm white
Colour temperature	2700 K
Light beam	standard - diffuse
Beam angle	95°
Socket	MR11-GU4.0
Vibrational impact	low
Lifespan	40.000
Energy class	A+

Adapters

The choice of an adapter depends on 2 things:

1. the type of spotlight you'd like to use
2. the number of spotlights you'd like to install

View the tables below for the best choice.

Number of spotlights

		Led 3,5 W	Led 5 W
VT20500	Adapter 18 W	4	2
VT20036	Adapter 36 W	8	6
VT20084	Adapter 84 W	20	14
Maximum number of meters of rail per adapter		16	16



VT20500
STAS multirail adapter 18 W



VT20036
STAS multirail adapter 36 W



VT20084
STAS multirail adapter 84 W

STAS adapters	VT20500 STAS multirail adapter 18W	VT20036 STAS multirail adapter 36W	VT20084 STAS multirail adapter 84W
Input voltage	AC100-240V ~ 50/60Hz 0.7A	100-240VAC 50/60Hz	100-240VAC 50/60Hz
Output voltage	DC 12V == 1.5A	12V DC 3A	12V DC 7A
Ampère	1.5A	3A	7A
Dimensions (l x h x b)	75 x 86 x 36 mm	105 x 45 x 28.5mm	155 x 60 x 37mm
Weight	180 gr	220 gr	490 gr
Connection	input plug (EU) output cable 3 m	input plug (EU) (US) 1.8 m output cable 3 m	input plug (EU) (US) 1.8 m output cable 3 m
Quality label	CE | GS TÜV | WEEE	UL | CE | EMC | RoHS | REACH	UL | CE | EMC | RoHS | REACH

Using multiple adapters
In case you would like to use more than the below mentioned number of metres or spots, you will have to use multiple adapters.

CAUTION:
Create independent circuits when using more than one adapter! Adapters must never be connected, neither directly nor indirectly. In short: NEVER connect two rail segments that are each connected to a different adapter! Exclusively connect rail segments that share one adapter.

Dimming of light
The current STAS adapters are not yet dimmable. We strongly advise against connecting your own switch or dimmer to the system. Be aware that if you do this anyway, all system warranty expires. Use the STAS Wi-Fi smart-led and matching fixtures if you'd like to have dimmable picture lighting.





Fixtures

STAS offers a choice of 3 different light fixtures in various lengths. Your choice depends on your personal preference and on the size of the artwork you wish to illuminate. Every spot fits on every light fixture and fits on all multirail systems. The lamp can be easily mounted on a fixture with the supplied Allen key.

You can easily click a fixture on a desired spot in the STAS multirail. The Classic fixture can only be adjusted in height and the lamp base can be turned. The Sirius and signo fixture has a flexible part that allows you to make small adjustments in the direction of the light beam.


INSTRUCTION

Article nr.	Description
VA10500	50 cm classic fixture white
VA10700	70 cm classic fixture white
VA30500	50 cm classic fixture chrome
VA30700	70 cm classic fixture chrome
VA30365	40 cm sirius fixture chrome
VA30465	50 cm sirius fixture chrome
VA30665	65 cm sirius fixture chrome
VA30770	70 cm signo fixture chrome

Classic fixture




Sirius fixture





Signo fixture



ACCESSORIE GUIDE

1 year warranty applies to all multirail accessories.

Index

Hooks and cords for rail systems

STAS hooks and cords	32
STAS Monarch line hooks and cords	33
STAS j-rail hooks, cords and rods	34
STAS j-rail max hooks and rods	35
STAS flowtrack hooks and cords	36
STAS plasterrail hooks and cords	36
STAS windsor & riva hooks and cords	37
STAS evoluon & qubic hooks and cords	38
Summary table hooks and cords	39





STAS hooks and cords

After selecting a rail, choose a cord to hook anywhere into the rail and a hook to slide over the cord to the desired height.

The cords and hooks on this page can be combined with all STAS rail types, with the exception of the STAS wooden rails, STAS j-rail (max), STAS evoluon and STAS plaster rail.

Hooks



STAS smartspring



STAS zipper



STAS zipper pro

Cords



STAS cobra perlon cord



STAS cobra + steel cable alu, white or black

Article nr.	Description
HA30900	smartspring
HA30501	zipper
HA30530	zipper pro
CP10110	100 cm cobra with perlon cord
CP10115	150 cm cobra with perlon cord
CP10120	200 cm cobra with perlon cord
CP10125	250 cm cobra with perlon cord
CP10130	300 cm cobra with perlon cord
CP10140	400 cm cobra with perlon cord

Article nr.	Description
SC10110	100 cm cobra with steel cable
SC10115	150 cm cobra with steel cable
SC10120	200 cm cobra with steel cable
SC10125	250 cm cobra with steel cable
SC10130	300 cm cobra with steel cable
SC10140	400 cm cobra with steel cable
SC10220	200 cm cobra with steel cable white
SC20220	200 cm cobra with steel cable black

Possible combinations



perlon cord + smartspring



perlon cord + zipper or zipper pro



steel cable + zipper or zipper pro



steel cable white or black + zipper or zipper pro




STAS Monarch line

hooks and cords



STAS Monarch line has its own hooks and cords that are specially designed for this powerful and reliable hanging system. The STAS Monarch safety hook is equipped with an anti-theft bracket for added security.



STAS Monarch rail hook

- Material: brass with titanium finish
- Dimensions: 12 x 25,5 x 52,5 mm
- Weight capacity: 100 kg

STAS Monarch steel cable

- Steel cable thickness: ø 2,5 mm
- Length: 150 cm, 200 cm, 250 cm, 300 cm, 450 cm
- Weight capacity: 100 kg

STAS Monarch safety hook

- Material: brass with titanium finish
- Dimensions: 14 x 29,3 x 59,8 mm
- Weight capacity: 100 kg

Article nr.	Description
HA70200	Monarch rail hook
HA70100	Monarch safety hook

Article nr.	Description
SC25150	Monarch steel cable 150 cm
SC25200	Monarch steel cable200 cm
SC25250	Monarch steel cable 250 cm
SC25300	Monarch steel cable 300 cm
SC25450	Monarch steel cable 450 cm

For more information about the STAS Monarch line: www.stasmonarchline.com





STAS j-rail

hooks, cords and rods

STAS j-rail has its own set of hooks, cords and rods with which to complete the system.

Hooks



STAS smartspring



STAS zipper



STAS zipper pro



STAS spring hook

Cords, rods and rail hooks



STAS perlon cord with glider



STAS steel cable with glider

STAS perlon cord with loop



STAS steel cable with loop



STAS rod 3 mm



STAS cylinder hook



STAS s-hook



Article nr.	Description
HA30900	smartspring
HA30501	zipper
HA30530	zipper pro
HA30700	spring hook
PH10110	100 cm perlon cord + glider
PH10115	150 cm perlon cord + glider
PH10120	200 cm perlon cord + glider
PH10125	250 cm perlon cord + glider
PH10130	300 cm perlon cord + glider
PH10145	450 cm perlon cord + glider
SH10110	100 cm steel cable + glider
SH10115	150 cm steel cable + glider
SH10120	200 cm steel cable + glider

Article nr.	Description
SH10125	250 cm steel cable + glider
SH10130	300 cm steel cable + glider
SH10145	450 cm steel cable + glider
PL10110	100 cm perlon cord + loop
PL10115	150 cm perlon cord + loop
PL10120	200 cm perlon cord + loop
PL10125	250 cm perlon cord + loop
PL10130	300 cm perlon cord + loop
SL10110	100 cm steel cable + loop
SL10115	150 cm steel cable + loop
SL10120	200 cm steel cable + loop
SL10125	250 cm steel cable + loop
SL10130	300 cm steel cable + loop

Article nr.	Description
SO10110	j-rail rod 3 mm white 100 cm
SO10115	j-rail rod 3 mm white 150 cm
SO10120	j-rail rod 3 mm white 200 cm
SO10130	j-rail rod 3 mm white 300 cm
SO30110	j-rail rod 3 mm alu 100 cm
SO30115	j-rail rod 3 mm alu 150 cm
SO30120	j-rail rod 3 mm alu 200 cm
SO30130	j-rail rod 3 mm alu 300 cm
HR10600	cylinder hook white
HR30600	cylinder hook alu
HR10400	s-hook white
HR30400	s-hook chrome

Possible combinations



j-rail s-hook + perlon cord with loop + smartspring, zipper or zipper pro



j-rail s-hook + steel cable with loop + zipper or zipper pro



cylinder hook + perlon cord with glider + smartspring



cylinder hook + perlon cord with glider + zipper or zipper pro



cylinder hook + steel cable with glider + zipper or zipper pro



j-rail rod + spring hook





STAS j-rail max

hooks and rods

STAS j-rail max works only with rods and matching hooks.

Hooks



STAS j-rail max hook for rod 4x4



STAS j-rail max security hook 4x4



STAS j-rail max security set, collar + cap



STAS j-rail max hook for rod 4x10

Rods

STAS j-rail max rod 4x4 white



STAS j-rail max rod 4x4 alu



STAS j-rail max rod 4x10 white

Article nr.	Description
HA40600	hook for rod 4x4
HA40700	security hook 4x4
BK10200	security set, collar + cap
HA40500	hook for rod 4 x 10
SM10110	100 cm rod 4x4 white
SM10115	150 cm rod 4x4 white
SM10120	200 cm rod 4x4 white
SM10125	250 cm rod 4x4 white

Article nr.	Description
SM30110	100 cm rod 4x4 alu
SM30115	150 cm rod 4x4 alu
SM30120	200 cm rod 4x4 alu
SM30125	250 cm rod 4x4 alu
SM10210	100 cm rod 4x10 white
SM10215	150 cm rod 4x10 white
SM10220	200 cm rod 4x10 white
SM10225	250 cm rod 4x10 white

Possible combinations



j-rail max rod 4x4 + j-rail max (security) hook



j-rail max rod 4x4 + j-rail max (security) hook + security set



j-rail max rod 4x10 + j-rail max hook for rod 4x10



STAS flowtrack & plasterrail hooks and cords

STAS flowtrack and STAS plasterrail has its own cords that are specially designed for the specific rail opening.

Hooks



STAS smartspring



STAS zipper



STAS zipper pro

Cords and rail hooks



STAS perlon cord with glider



STAS steel cable with glider



STAS flowtrack haak



STAS plasterrail hook

Article nr.	Description
HA30900	smartspring
HA30501	zipper
HA30530	zipper pro
PH10110	100 cm perlon cord + glider
PH10115	150 cm perlon cord + glider
PH10120	200 cm perlon cord + glider
PH10125	250 cm perlon cord + glider
PH10130	300 cm perlon cord + glider
PH10145	450 cm perlon cord + glider

Article nr.	Description
SH10110	100 cm steel cable + glider
SH10115	150 cm steel cable + glider
SH10120	200 cm steel cable + glider
SH10125	250 cm steel cable + glider
SH10130	300 cm steel cable + glider
SH10145	450 cm steel cable + glider
HW80000	flowtrack hook
PR90001	plasterrail hook

Possible combinations STAS flowtrack



flowtrack hook + perlon cord with glider + smartspring



flowtrack hook + perlon cord with glider + zipper or zipper pro



flowtrack hook + steelcable with glider + zipper or zipper pro

Possible combinations STAS plasterrail



plasterrail hook + perlon cord with glider + smartspring



plasterrail hook + perlon cord with glider + zipper or zipper pro



plasterrail hook + steelcable with glider + zipper or zipper pro





STAS windsor & riva hooks and cords

STAS windsor & riva have their own collection of hooks, which can be combined with the existing hooks and cords from STAS.

Hooks



STAS smartspring



STAS zipper



STAS zipper pro

Cords and rail hooks

STAS perlon cord with loop



STAS steel cable with loop



STAS hook riva



STAS hook windsor



STAS hook windsor



STAS hook windsor

Article nr.	Description
HA30900	smartspring
HA30501	zipper
HA30530	zipper pro
PL10110	100 cm perlon cord + loop
PL10115	150 cm perlon cord + loop
PL10120	200 cm perlon cord + loop
PL10125	250 cm perlon cord + loop
PL10130	300 cm perlon cord + loop

Article nr.	Description
SL10110	100 cm steel cable + loop
SL10115	150 cm steel cable + loop
SL10120	200 cm steel cable + loop
SL10125	250 cm steel cable + loop
SL10130	300 cm steel cable + loop
HW10200	windsor hook white
HW30200	windsor hook alu
HW60200	windsor hook gold
HW50700	riva hook

TÜV NORD
TÜV Nederland QA
2400-A-729
Picture Hanging Systems

Possible combinations



Perlon cord with loop + smartspring



Perlon cord with loop + zipper or zipper pro



Steel cable with loop + zipper or zipper pro







STAS evoluon & qubic (pro)

hooks and cords

The STAS evoluon and the STAS qubic (pro) can be used with our special hooks and cords.

Hooks



STAS smartspring



STAS zipper



STAS zipper pro

Article nr.	Description
HA30900	smartspring
HA30501	zipper
HA30530	zipper pro
PH10110	100 cm perlon cord + glider
PH10115	150 cm perlon cord + glider
PH10120	200 cm perlon cord + glider
PH10125	250 cm perlon cord + glider
PH10130	300 cm perlon cord + glider

Cords



STAS perlon cord with glider



STAS steel cable with glider

Article nr.	Description
PH10145	450 cm perlon cord + glider
SH10110	100 cm steel cable + glider
SH10115	150 cm steel cable + glider
SH10120	200 cm steel cable + glider
SH10125	250 cm steel cable + glider
SH10130	300 cm steel cable + glider
SH10145	450 cm steel cable + glider

STAS evoluon

For more information about the STAS evoluon, see page 21.



STAS evoluon hook + perlon cord with glider + smartspring



STAS evoluon hook + perlon cord with glider + zipper



STAS evoluon hook + steel cable with glider + zipper

STAS qubic (pro)

For more information about the STAS qubic (pro), see page 58.



STAS qubic + perlon cord with glider + smartspring



STAS qubic + perlon cord with glider + zipper



STAS qubic + steel cable with glider + zipper

Summary table


hooks and cords

Hooks / Cords	smartspring	zipper / zipper pro	spring hook	j-rail max hook for rod 4x4	j-rail max security hook 4x4	j-rail max hook for rod 4x10	Monarch safety hook
all STAS rails (excl. STAS j-rail, STAS j-rail max, STAS plasterrail, STAS windsor, STAS riva and STAS evoluon)							
perlon cord with cobra	4 kg	15 kg	-	-	-	-	-
steel cable with cobra	-	20 kg	-	-	-	-	-
steel cable black or white with cobra	-	10 kg	-	-	-	-	-
STAS Monarch line							
Monarch railhook with steelcable	-	-	-	-	-	-	100 kg
STAS j-rail							
cylinderhook and perlon cord with glider	4 kg	15 kg	-	-	-	-	-
s-hook and perlon cord with loop	4 kg	15 kg	-	-	-	-	-
s-hook and steel cable with loop	-	20 kg	-	-	-	-	-
rod 3 mm	-	-	15 kg	-	-	-	-
STAS j-rail max							
rod 4x4 white or alu	-	-	-	40 kg	40 kg	-	-
rod 4x10 white	-	-	-	-	-	100 kg	-
STAS plasterrail							
plasterrail hook with perlon cord with glider	4 kg	15 kg	-	-	-	-	-
plasterrail hook with steel cabel with glider	-	15 kg	-	-	-	-	-
STAS flowtrack							
flowtrack hook with perlon cord with glider	4 kg	15 kg	-	-	-	-	-
flowtrack hook with steel cable with glider	-	20 kg	-	-	-	-	-
STAS windsor & riva							
hook with perlon cord with loop	4 kg	15 kg	-	-	-	-	-
hook with steel cable with loop	-	20 kg	-	-	-	-	-
STAS evoluon & qubic (pro)							
perlon cord with glider	4 kg	15 kg	-	-	-	-	-
steel cable with glider	-	20 kg	-	-	-	-	-
Additional (e.g. panel hooks)							
perlon cord with loop	4 kg	15 kg	-	-	-	-	-
steel cable with loop	-	20 kg	-	-	-	-	-

Index

Magnetic hanging solutions





STAS magnet sets

cards on a cable

A STAS magnet set consists of a steel cable with cobra and five or ten magnets. Hook the steel cable into your STAS rail. Using the magnets, you can then hang photos, cards and memos on the cable. It's ideal for Christmas cards, birthday cards, to-do notes or temporary displays.

The white and coloured variants of the STAS magnet set cannot be combined with STAS wooden rails, STAS j-rail (max), STAS evoluon and STAS plaster rail. The 2-in-1 variant can be combined with all STAS rails except for STAS j-rail max, and STAS evoluon.



STAS magnet set

The standard STAS magnet set consists of a steel cable with cobra and ten white tripod magnets.



STAS coloured magnet set

The STAS coloured magnet set consists of a steel cable and ten cone-shaped magnets in five different colours.



STAS magnet set 2-in-1

The STAS magnet set 2-in-1 can be used in two different ways. Hook the cable into your STAS rail with the cobra or hang it with a loop onto an edge panel hook or any other hook. This set comes with five cone-shaped magnets in five different colours.

Article nr.	Description
BM20370	STAS coloured magnet set
MB10040	STAS coloured magnets
BM20380	STAS magnet set 2-in-1

Article nr.	Description
BM20360	STAS magnet set
MB10050	STAS white magnets

Index

Other hanging solutions

STAS papergrip	**43**
STAS papergrip accessories	**44**
STAS poster hangers	**45**
STAS hooks and hangers	**47**
STAS picture hooks and hangers	**48**
STAS suspension sets	**51**
STAS v-tense & h-tense	**55**
STAS qubic & qubic pro	**58**






RAL9016


RAL9005 textured


RAL9016 textured


RAL9006


RAL9006 textured

STAS papergrip

twice as handy

STAS papergrip is one rail with two applications. Thanks to a handy internal strip, papers can be easily clipped into the rail or removed. In addition, cards (etc.) can be placed in the special ledge on top of the rail.


STAS papergrip is suitable for thick and thin paper and it can even grab hold of thin magazines and laminated paper. Separate rail pieces can be connected to create a hanging system spanning the entire wall.

Optional: click specially designed STAS papergrip hooks onto the rail to hang up additional small items, like keys, or for example a STAS magnet set 2-in-1. A STAS papergrip hook has a weight capacity of 3 kg.

TÜV NORD
TÜV Nederland QA
2400-A-729
Picture Hanging Systems

INSTRUCTION

- dimensions 13,3 x 45 mm
- length 50, 100, 150 or 200 cm
- rail: aluminium with powder coating, inside strip: polyurethane foam core and polyethylene coating layer
- white, white textured, black textured, alu textured, alu
- standard with railclips (3 per metre) optional with magnetic tape or double-sided tape
- 5 years warranty



Article nr.	Description
PG10105	50 cm papergrip white
PG10110	100 cm papergrip white
PG10115	150 cm papergrip white
PG10120	200 cm papergrip white
PG15005	50 cm papergrip white textured
PG15010	100 cm papergrip white textured
PG15015	150 cm papergrip white textured
PG15020	200 cm papergrip white textured
PG30310	100 cm papergrip alu
PG30320	200 cm papergrip alu

Article nr.	Description
PG30105	50 cm papergrip alu textured
PG30110	100 cm papergrip alu textured
PG30115	150 cm papergrip alu textured
PG30120	200 cm papergrip alu textured
PG20105	50 cm papergrip black textured
PG20110	100 cm papergrip black textured
PG20115	150 cm papergrip black textured
PG20120	200 cm papergrip black textured

For matching accesories, see page 44.


PG90001 endcap white
PG90003 endcap alu
PG90002 endcap black



RD40200
rail connector


SR50700
plug


RD40100 railclip
(3 per m²)


SR30600
screw torx (3 per m²)

STAS papergrip accessories



STAS grip-up

The STAS grip-up is a product that can be mounted in two ways. You can click the STAS grip-up over the STAS papergrip or mount it directly on the wall. In combination with the STAS papergrip, the pleasantness of a wall shelf is combined with the handy clamping mechanism of the STAS papergrip.

- dimensions 45,3 x 60 mm
- aluminium rail
- white, alu, black
- papergrip mountable, wall mountable
- on papergrip: 2 kg/m
- on wall: 4 kg/m
- 5 years warranty

INSTRUCTION



STAS papergrip hanger

- for hanging a whiteboard on the STAS papergrip
- dimensions 3,5 x 9,5 mm
- steel with powder coating
- with safety lock
- weight capacity per hanger per meter 20 kg/m
- whiteboard of max. 90 x 120 cm
- 5 years warranty

INSTRUCTION



STAS name tag

- dimensions 8,7 x 3,7 x 6 mm
- plastic
- to attach on the papergrip

Templates for printing out the name cards are available on request. Please contact our sales department for more information.



STAS papergrip hook

- weight capacity 3 kg
- white, alu, black



Article nr.	Description
SPG10105	50 cm grip-up white
SPG10110	100 cm grip-up white
SPG10115	150 cm grip-up white
SPG10120	200 cm grip-up white
SPG30105	50 cm grip-up alu textured
SPG30110	100 cm grip-up alu textured
SPG30115	150 cm grip-up alu textured
SPG30120	200 cm grip-up alu textured

Article nr.	Description
SPG20105	50 cm grip-up black textured
SPG20110	100 cm grip-up black textured
SPG20115	150 cm grip-up black textured
SPG20120	200 cm grip-up black textured
SPG90011	grip-up end cap set white
SPG90015	grip-up end cap set alu
SPG90013	grip-up end cap set black
SPG90010	grip-up wall clip (4 clips per m¹)

Article nr.	Description
HA40110	papergrip hanger
PG40110	papergrip hanger stabilisation set
PG20007	name tag
HA40410	papergrip hook white
HA40412	papergrip hook alu
HA40411	papergrip hook black



STAS poster hangers




STAS posterhanger teak

This stylish poster hanger made of high-quality teak wood is a popular alternative to the standard picture frame for hanging posters and prints. Compared to the classic picture frame, a wooden poster hanger is a trendy addition to your interior due to its rustic design!

STAS posterhanger teak
- dimensions profile 14 x 18 mm
- FSC certificated teak wood
- teak naturel
- paper thickness 1 mm
- 5 years warranty

STAS posterhanger white/black
- dimensions profile 14 x 18 mm
- FSC certificated pine wood with painting layer
- white, black
- paper thickness 1 mm
- 5 years warranty





STAS posterstrips

- dimensions 6 x 13 mm
- plastic
- transparant



STAS postersnaps

- dimensions 16 x 27 mm
- aluminium and plastic
- suitable for heavier posters, canvas and fabrics



STAS picture hits

- transparant plastic
- to be attached to a STAS rail*
- suitable for paper and thin cardboard

* with the exception of STAS j-rail (max), STAS wooden rail, STAS plasterrail and STAS evoluon



STAS signtrack

With the STAS signtrack, you can easily hang advertising, posters, and signage (0.2mm to 1mm thick) by simply sliding them into the tracks. The STAS signtrack is easy to use, due to the sliding mechanism at the top and bottom. Inserted material remains undamaged and a professional presentation is guaranteed.

- dimensions 12 x 21 mm
- aluminium rail
- ceiling- or wall mounting
- paper thickness 0,2 mm till 1 mm
- 1 signtrack set contains: profile, hook, clamp, endcap





STAS hooks and hangers







Hanging options:

INSTRUCTION

With a STAS qubic or qubic pro for a stone or concrete ceiling





For more information of the STAS qubic, see page 58. For matching hooks and cords, see page 38.

With a STAS drop ceiling hook for a drop ceiling




For more information of the STAS suspended ceiling hook, see page 47.

With a STAS rail system



For more information of the STAS rail systems, see page 5 t/m 22.



STAS panel hooks



HW10300 - HW10800



HW10200



HW60200



HW30300*



HW30400



HW30500

HW50500



HW30200



HW50400



HW50600



HW30600



HW30800



HW50100



HW30700



HW1000

STAS suspended ceiling hooks



HA10100



HA10200



DH10010 - DH10080

STAS drywall clips



RD40400-10

Article nr.	Description
PS20021	posterhanger teak 21 cm
PS20030	posterhanger teak 30 cm
PS20042	posterhanger teak 42 cm
PS20050	posterhanger teak 50 cm
PS20060	posterhanger teak 60 cm
PS20070	posterhanger teak 70 cm
PS20084	posterhanger teak 84 cm
PS20100	posterhanger teak 100 cm
PS50030	posterstrip set 30 cm
PS50042	posterstrip set 42 cm

Article nr.	Description
PS50050	posterstrip set 50 cm
PS50060	posterstrip set 60 cm
PS50070	posterstrip set 70 cm
PS50084	posterstrip set 84 cm
PS50110	posterstrip set 100 cm
PS30050	postersnap set 50 cm
PS30070	postersnap set 70 cm
PS30100	postersnap set 100 cm
BM20350	picture hits (20 pcs + 2 x 50 cm distancestrips)

Article nr.	Description
PS10042	signtrack set 42 cm
PS10060	signtrack set 60 cm
PS10080	signtrack set 80 cm
PS10100	signtrack set 100 cm
PS10120	signtrack set 120 cm
PS10200	signtrack set 200 cm

All products have 5 years warranty

Article nr.	Description	Max. Kg
HW10300	panel hook white 11 mm	20 kg
HW10400	panel hook white 16 mm	20 kg
HW10600	panel hook white 18 mm	20 kg
HW10500	panel hook white 21 mm	20 kg
HW10700	panel hook white 26 mm	20 kg
HW10800	panel hook white 31 mm	20 kg
HW10200	moulding hook white	20 kg
HW30200	moulding hook alu	20 kg
HW60200	moulding hook gold	20 kg
HW30700	panel hook alu interselect	15 kg
HW30800	panel hook alu lux window frame	15 kg
HW50100	panel hook transparent alcoa	5 kg
HW30300*	panel hook alu verwol type 1	15 kg
HW30400	panel hook alu verwol type 2	15 kg
HW30500	panel hook alu sepa normal	15 kg
HW50400	panel hook askon chrome	15 kg

Article nr.	Description	Max. Kg
HW50500	panel hook PE transparant	5 kg
HW50600	panel hook maars	15 kg
HW30600	panel hook alu sepa lux	15 kg
HW1000	panel hook TB	15 kg
HA10100	suspended ceiling hook	5 kg
HA10200	suspended ceiling hook for loop	5 kg
DH10010	double hanger alu 10 cm	
DH10025	double hanger alu 25 cm	
DH10040	double hanger alu 40 cm	
DH10060	double hanger alu 60 cm	
DH10080	double hanger alu 80 cm	
DH10040	double hanger alu 40 cm	
DH10060	double hanger alu 60 cm	
DH10080	double hanger alu 80 cm	
RD40400-10	drywall clips set 10 pieces	7 kg

All products have 5 years warranty





STAS picture hooks and hangers

STAS dibond hanger

- Self-adhesive aluminum plate with a hook, designed to be attached to the back of flat panels such as mirrors, artwork, or photos on acrylic, glass, Dibond, or aluminum*.
- We provide a special cleaning cloth for removing grease and dust from the surface.
- Attachment to wood or MDF is only possible using mounting screws.

* Rough, porous or fibrous surfaces (wood/MDF/plasterboard/plaster blocks) and Polypropylene/Polyethylene (PP/PE) plastics are not suitable for tape-attaching the STAS dibond hanger.

ATTENTION! It is very important that you remove grease and dust from the surface with the supplied cleaning cloth. Let the cleaner dry thoroughly. Then press the STAS dibond hanger firmly for 10 seconds and let it dry for 24 hours before you hang an object.








BS30900 BS30400 BS30800 BS30500 BS30700 MB10080

Sawtooth hangers






HW31407-4 HW31410-4 HW31406 TH30065

Article nr.	Description	Max. Kg
BS30900	dibond hanger + installation set / 70 x 70 mm	3 kg
BS30800	dibond hanger + installation set / 100 x 100 mm	6 kg
BS30400	dibond hanger + installation set / ø 90 mm	3,5 kg
BS30500	dibond hanger + installation set / 70 x 140 mm	5 kg
BS30700	dibond hanger + installation set / 100 x 200 mm	10 kg
MB10080	self-adhesive distance caps round 13 mm (4 pc.)	
HW31407-4	sawtooth hanger 40mm with nails(set 4 pcs)	
HW31410-4	sawtooth hanger 67mm with nails (set 4 pcs)	
HW31406	self-fastening tooth hanger	
HW31406-4	self-fastening tooth hanger (set 4 pcs)	
TH30065	sawtooth hanger 65 mm	
TH30065-4	sawtooth hanger 65 mm (set 4 pcs)	

Picture frame hangers







STAS suspension sets

Stabilization and no-tilt sets

Do you have a STAS picture hanging system, and do your paintings tilt when you try to hang two below each other? With these products, your paintings will hang perfectly flat against the wall.



AT10016



AT100010



SS01100

Textile frame hangers



BT1000



BT1020



BT1030





Plate hangers



BH30913-BH33646



BH30007-BH30012

Quilt hangers

Use the quilt hangers in combination with the wide hook and perlon cord.



TH30027



TH20036



HA40300

Article nr.	Description	Max. Kg
SS01100	stabilization support set 63 x 56 mm	
AT10016	no-tilt set 34 x 16 x 19 mm/min weight 1,5 kg	10 kg / set
AT100010	frame stabilizer 12 x 38 x 2,5 mm	
BT1000	textile frame hanger small (set of 2)	
BT1020	textile frame hanger (set of 2)	
BT1030	textile frame hanger quare (set of 2)	
BH30913	plate hanger 9-13 cm	
BH31319	plate hanger 13-19 cm	
BH31520	plate hanger 15-20 cm	

Article nr.	Description
BH31925	plate hanger 19-25 cm
BH32030	plate hanger 20-30 cm
BH32535	plate hanger 25-35 cm
BH33646	plate hanger 36-46 cm
BH30007	plate/vinyl hanger 7 inch
BH30012	plate/vinyl hanger 12 inch
TH30027	quilt hanger 30 mm
TH20036	quilt hanger 36 mm
HA40300	wide hook

With the many STAS suspension sets, we have a convenient suspension kit for every situation. No need to look for separate parts. The STAS suspension sets are safe and user-friendly suspension kits for hanging lighting, pipes, advertising, route indication, signs, paintings, acoustic panels, shelves and many other objects. All STAS suspension sets consist of 1.5 mm steel cables with a length of 2 meters and can be loaded up to a maximum of 25 kg per set. The components from the set are also available separately.



Ceiling mount

Suspension sets with ceiling mount

SCS40101



STAS suspension set with adjustable loop maker

- For different-sized pipes/ other objects
- Size adjustable loop maker

SCS40102



STAS suspension set with safety hook

- For lighting, route indication, panels and other objects
- Safety hook with bracket
- Adjustable in height

SCS40103



STAS suspension set with panel hanger (4 mm)

- For advertising, route indication and other panels/ objects
- Adjustable in height
- With safety lock

SCS40104



STAS suspension set with panel hanger (10 mm)

- For advertising, route indication and other panels/objects
- Adjustable in height

SCS40105



STAS suspension set with panel hanger (6 mm)

- For advertising, route indication and other panels/ objects
- Adjustable in height

SCS40106



STAS suspension set with 2 safety hooks

- For lighting, advertising, panels or other objects
- 2 safety hooks connected with steel cable
- Adjustable in height

SCS40107



STAS suspension set with internal M6 screw thread tilt hook

- For lighting and other objects with that require a tilt
- Adjustable in height
- With safety lock

SCS40108



STAS suspension set with internal M6 screw thread

- For lighting, route indication, panels and other objects
- Adjustable in height

SCS40109



STAS suspension set with external M6 screw thread tilt hook

- For lighting and other objects that require a til
- Adjustable in height
- With safety lock

SCS40110




STAS suspension set with external M6 gripper

- For lighting and other objects
- Adjustable in height



STAS suspension set with eye hook

- For lighting, panels, advertising and other objects
- Adjustable in height
- Can also be used horizontally



STAS suspension set with cross anchors

- For fluorescent lighting or other objects
- 2 cross anchors connected with steel cable
- Adjustable in height



STAS suspension set with external M10 cable grip

- For lighting, shelves and other objects
- Adjustable in height





STAS suspension set with safety hook and eye plate (90°)

- For lighting, route indication, panels and other objects
- Safety hook with spring bracket
- Ceiling mount



Suspension sets with adjustable ceiling mount




STAS suspension set with cross anchor

- For fluorescent lighting or other objects
- Single cross anchor
- Adjustable quick ceiling mount with screw




STAS suspension set with loop

- For pipes, panels and other objects
- Fixed loop
- Adjustable quick ceiling mount with screw



Suspension sets with loop



STAS suspension set with safety hook

- For different sized pipes or other objects
- Size adjustable loop maker
- Can also be used the other way around



STAS suspension set with safety hook

- For lighting, route indication, panels and other objects
- Fixed loop
- Adjustable in height
- Can also be used the other way around





STAS suspension set with panel hanger (4 mm)

- For advertising, route indication and other panels
- Fixed loop
- Adjustable in height
- With safety lock



STAS suspension set with panel hanger (10 mm)

- For advertising, route indication or other panels/ objects up to max. 10 mm thick
- Fixed loop
- Adjustable in height



STAS suspension set with panel hanger (6 mm)

- For advertising, route indication and other panels/ objects
- Fixed loop
- Adjustable in height

Other suspension sets and products



STAS acoustic coil spring

- For acoustic, foam or non-woven/felt panels
- Can be used with the many STAS suspension sets



STAS drop ceiling clip

- For drop ceilings
- With M5 screw thread for attaching STAS suspension sets without having to drill

Separate components ceiling mount



SCS40406

STAS ceiling mount
Fixed height

Combine with STAS steelcable with end stop*



STAS steel cable with end stop*
SCS40530 30 cm
SCS40505 150 cm
SCS40504 200 cm
SCS40506 250 cm
SCS40507 300 cm



SCS40418


STAS ceiling mount with eye plate (90°) and steel cable
Fixed height

Steelcable attached



SCS40405

STAS adjustable ceiling mount
Adjustable ceiling mount, screw mounting.
Combine with STAS steelcable and STAS steelcable with loop**



STAS steel cable for suspension sets**
SCS40501 100 cm
SCS40502 150 cm
SCS40503 200 cm



STAS steel cable with loop**
SCS40508 100 cm
SCS40509 150 cm
SCS40510 200 cm

Separate components



SCS40407

STAS safety hook
Safety hook with spring bracket



SCS40408

STAS panel hanger (4 mm)
For panels/objects up to max. 4 mm thick, with safety lock.



SCS40410

STAS panel hanger (10 mm)
For panels/objects up to max. 10 mm thick, adjustable in height



SCS40417

STAS panel hanger (6 mm)
For panels/objects up to max. 6 mm thick, adjustable in height



SCS40412

STAS internal M6 screw thread tilt hook
With safety lock, adjustable in height



SCS40413

STAS internal M6 screw thread
Adjustable in height



SCS40414

STAS external M6 screw thread tilt hook
With safety lock, adjustable in height



SCS40411

STAS external M6 gripper
Adjustable in height



SCS40415

STAS eye hook
Adjustable in height




SCS40416

STAS external M10 cable grip
Adjustable in height



SCS40422

STAS hanger with 2 safety hooks
Adjustable in height



SCS40423

STAS hanger with 2 cross anchors
Adjustable in height



SCS40424

STAS cross anchor
To be used with steel cable with end stop



SCS40511

STAS steel cable with safety hook
Length 200 cm



SCS40404

STAS adjustable loop maker
For different sizes of pipes or other objects



SCS40409

STAS t-gripper
Adjustable in height




STAS acoustic panel hanger
SCS40421 18-22 mm

TÜV NORD
TÜV Nederland QA
2400-A-729
Picture Hanging Systems

For more information about these products, please contact our sales team at **T +31 (0)40 292 48 48 | E info@stas.nl**





STAS v-tense & h-tense

combine endlessly

The tensioned cable system can be used flexibly and mounted on walls or ceiling. Horizontally, vertically and diagonally! The possibilities in combination with the STAS qubic, the STAS evoluon and the other STAS rail systems are therefore endless. Consider, for example, applications for the creation of shop windows, the presentation of houses in the real estate sector, displaying menus in restaurants or hanging material in schools or in the office.

INSTRUCTION

STAS h-tense (horizontal)

The STAS h-tense is, together with the STAS v-tense, part of the tensioned cable system assortment. The STAS h-tense can be used horizontally and is equipped with a glider on both sides. The wire is easy to tighten. The STAS h-tense can be combined with the STAS qubic to easily create a wall presentation.

- dimensions 26 x 3 mm
- length 150, 300 or 450 cm
- aluminium
- alu textured
- wall- and ceiling mounting (in combination with the STAS qubic)
- 5 years warranty

Article nr.	Description
TSBH150	h-tense 150 cm
TSBH300	h-tense 300 cm
TSBH450	h-tense 450 cm

Consult page 57 for accessories.

SHOP GUIDE

Options STAS h-tense



STAS h-tense, STAS qubic, STAS metal clips, alphabet letter tiles



STAS h-tense, STAS qubic, STAS tense frame & STAS frame clamps

STAS v-tense (vertical)

The STAS v-tense is, together with the STAS h-tense, part of the tensioned cable system assortment. The STAS v-tense can be used vertically and is equipped with a glider on both sides. The cables are easy to tighten. In addition, an extra spring has been added to the STAS v-tense so that the wire still offers enough elasticity to hook into a rail with a hook. The STAS v-tense can be combined with various STAS rail systems, the STAS qubic and the STAS evoluon to easily create a wall presentation.

* Also available in a version with a glider on one side and a STAS cobra on the other for hanging options with a STAS rail.



- dimensions 26 x 3 mm
- length 150, 300 or 450 cm
- aluminium
- alu textured
- wall- and ceiling mounting (in combination with the STAS rail, STAS evoluon and STAS qubic)
- 5 years warranty



Article nr.	Description
TSBV150	v-tense 150 cm
TSBV300	v-tense 300 cm
TSBV450	v-tense 450 cm

Consult page 57 for accessories.

INSTRUCTION


Options STAS v-tense



STAS qubic, STAS v-tense, STAS tense frame & STAS frame clamps



STAS qubic, STAS v-tense, STAS evoluon, STAS tense frame & STAS frame clamps



STAS qubic, STAS v-tense & STAS tense LED frame



STAS qubic ceiling mounting, STAS shelf clamp & STAS shelves

STAS v-tense & h-tense

accessories



TCS30001



TCS30002



A4 TCS30010
A3 TCS30016



STAS frame clamp (4,5 mm)



STAS frame connector (4,5 mm)



TCS30003



TCS30004



STAS frame clamp (8,5 mm)



STAS frame connector (8,5 mm)



TCS30005




TCS30006

TCS30025



STAS shelf clamp (8,5 mm)



STAS shelf connector (8,5 mm)



MC10100




HA30600



TCS30007



TCS30009



STAS signage clip



STAS distance clamp

Article nr.	Description
TCS30001	frame clamp (4,5 mm)
TCS30002	frame connector (4,5 mm)
TCS30010	tense-frame A4
TCS30016	tense-frame A3
MC10100	metal clips
HA30600	security hook

Article nr.	Description
TCS30003	frame clamp (8,5 mm)
TCS30004	frame connector (8,5 mm)
TCS30015	tense LED frame A4
VT30600	tense 12V power
TCS30007	signage clip
TCS30009	distance clamp

Article nr.	Description
TCS30005	shelf clamp (8,5 mm)
TCS30006	shelf connector (8,5 mm)
TCS30025	shelf 20 x 30 cm





STAS qubic (pro)

flexible in all directions

The STAS qubic is a compact and square hanging system, suitable for hard walls such as stone or concrete. The STAS qubic is suitable for one hanging point and can be easily installed in the more difficult places. Think of a stairwell, a slanted ceiling or a pillar. The STAS qubic can be mounted in many different ways and therefore the cords can also be hooked in many possible ways.

The STAS qubic pro is suitable for soft walls such as plaster and sand-lime brick. The mounting plate can be installed with 2 screws which provides extra reinforcement of the STAS qubic pro in the soft wall.

The versatility of the STAS qubic (pro) makes it an indispensable hanging system for difficult places.


INSTRUCTION


STAS qubic

- dimensions 22 x 22 x 24 mm
- aluminium
- alu textured
- ceiling- and wall mounting
- weight capacity 15 kg/m
- 5 years warranty

STAS qubic pro

- dimensions 50 x 50 x 24 mm
- aluminium
- alu textured
- ceiling- and wall mounting
- weight capacity 20 kg/m
- 5 years warranty





Article nr.	Description
TCS1000	qubic alu textured
TCS1010	qubic pro alu textured



TCS9002 qubic endcap



SJ30200 screw qubic




SR50700 plug



SJ30100 screw qubic pro





For matching hooks and cords, see page 38. See page 55 for combining with STAS v-tense & h-tense.

Index

Complementary products



STAS accessories 60

STAS accessories



STAS TV hanger

The STAS TV hanger eliminates the need to drill into walls. You can easily move the hanger along your rail system*. The black TV bracket mounts to the white hangers with the supplied screws, while the vertical brackets attach to the back of your TV.

- dimensions 150 cm x 40 cm
- white textured with black TV bracket
- suitable for TV's from 26" to 55" and for TV's with a VESA size from 5x75, 100x100, 200x200 and 400x400.
- 5 years warranty

PATENTED STAS INNOVATION



STAS tunica

STAS tunica is a stylish coat hook system that easily fits into almost all STAS rails*. The coat hook is sturdy, but also easily and endlessly moveable and features two coat hooks.

- dimensions 15 cm wide x 5,2 cm depth, mounting strip: 5 cm wide
- length 95 cm
- 10 kg per hook
- 5 years warranty

STAS clocktica

The STAS clocktica is a silent design clock that can be hooked into almost any STAS picture rail system.* The clock works on batteries and is made of sturdy steel.

- dimensions 25 cm wide
- length 43 or 95 cm
- white textured, black textured
- 5 years warranty



STAS eyecatcher

Never lose your glasses again with the STAS eyecatcher! The eyeglass holder is equipped with 4 strong neodymium magnets* that keep the clip in place without clumsy glasses cords or holes in clothing.

* Note: This product contains strong magnets, so we do not recommend people with a pacemaker or ICD to use this product.

Article nr.	Description
TV10150	TV hanger white
KH40095W	tunica 95 cm white
KH40095Z	tunica 95 cm black

Article nr.	Description
KH40430W	clocktica 43 cm white
KH40950W	clocktica 95 cm white
KH40430Z	clocktica 43 cm black
KH40950Z	clocktica 95 cm black

Article nr.	Description
MA20010C	eyecatcher chrome
MA20010B	eyecatcher black
MA20010G	eyecatcher gold

* With the exception of the STAS wooden rails, STAS j-rail (max), STAS evoluon and STAS plaster rail.
When mounting your TV hanger or tunica, always take into account the maximum load of your picture hanging system.

Product index

article code	product description	page nr.
Rail systems		5
STAS minirail		5
RM10150	minirail white 150 cm	5
RM10120	minirail white 200 cm	5
RM10130	minirail white 300 cm	5
RM30150	minirail alu 150 cm	5
RM30120	minirail alu 200 cm	5
RM30130	minirail alu 300 cm	5
RM20150	minirail black 150 cm	5
RM20120	minirail black 200 cm	5
RM20130	minirail black 300 cm	5
RD10200	minirail rail connector	5
RY10200	minirail combi cap** white	5
RY30200	minirail combi cap** alu	5
RY20200	minirail combi cap** black	5
SR10200	minirail clipscrew torx	5
SR50700	plug 6 x 30 mm hard / soft wall	5
STAS cliprail		6
RC10315	cliprail white 150 cm	6
RC10320	cliprail white 200 cm	6
RC10330	cliprail white 300 cm	6
RC30115	cliprail alu 150 cm	6
RC30120	cliprail alu 200 cm	6
RC30130	cliprail alu 300 cm	6
RC20115	cliprail black 150 cm	6
RC20120	cliprail black 200 cm	6
RC20130	cliprail black 300 cm	6
RD10300	cliprail end cap white	6
RD30300	cliprail end cap alu	6
RD20300	cliprail end cap black	6
RD10400	cliprail corner cap white	6
RD30400	cliprail corner cap alu	6
RD20700	cliprail corner cap black	6
RD40100	railclip (metal, 3 per m¹)	6
RD40200	rail connector (metal)	6
SR30600	screw torx	6
SR50700	plug 6 x 30 mm hard / soft wall	6
STAS cliprail max		7
RC10215	cliprail max white 150 cm	7
RC10220	cliprail max white 200 cm	7
RC10230	cliprail max white 300 cm	7
RC30215	cliprail max alu 150 cm	7
RC30220	cliprail max alu 200 cm	7
RC30230	cliprail max alu 300 cm	7
RC20215	cliprail max black 150 cm	7
RC20220	cliprail max black 200 cm	7
RC20230	cliprail max black 300 cm	7
RY10100	cliprail max combi cap** white	7
RY30100	cliprail max combi cap** alu	7
RY20300	cliprail max combi cap** black	7
RD40100	railclip (metal, 3 per m¹)	7
RD40200	rail connector (metal)	7
SR30600	screw torx	7
SR50700	plug 6 x 30 mm hard / soft wall	7
STAS prorail max		8
RM10415	prorail max white 150 cm *	8
RM10420	prorail max white 200 cm *	8
RM10430	prorail max white 300 cm *	8
RM30415	prorail max alu 150 cm *	8
RM30420	prorail max alu 200 cm *	8
RM30430	prorail max alu 300 cm *	8
VE10400	prorail max end cap white	8
VE30400	prorail max end cap alu	8
VD20500	prorail max corner cap white	8
VD30500	prorail max corner cap alu	8
RD40100	railclip (metal, 3 per m¹)	8
RD40200	rail connector (metal)	8
SR30600	screw torx	8
SR50700	plug 6 x 30 mm hard / soft wall	8
STAS cliprail pro		9
VC10150	cliprail pro white 150 cm	9
VC10200	cliprail pro white 200 cm	9
VC10300	cliprail pro white 300 cm	9
VC30150	cliprail pro alu 150 cm	9
VC30200	cliprail pro alu 200 cm	9
VC30300	cliprail pro alu 300 cm	9
VC20150	cliprail pro black 150 cm	9
VC20200	cliprail pro black 200 cm	9
VC20300	cliprail pro black 300 cm	9
VE10200	cliprail pro end cap white	9
VE30200	cliprail pro end cap alu	9
VE20200	cliprail pro end cap black	9
VD10400	cliprail pro corner cap white	9
VD30400	cliprail pro corner cap alu	9
VD20400	cliprail pro corner cap black	9
RD40100	railclip (metal, 3 per m¹)	9
RD40200	rail connector (metal)	9
SR30600	screw torx	9
SR50700	plug 6 x 30 mm hard / soft wall	9
STAS flowtrack		10
RF30100	flowtrack 100 cm	10
RD50000	endcap white	10
RD50100	endcap mirrored white	10
RD50200	corner cap	10
RD50300	corner cap inside	10
RD40800	rail connector	10
RD40900	corner connector	10
SR30600	screw torx	10
HW80000	flowtrack hook	10
STAS plasterrail		11
PR30200	plasterrail 200 cm (including safety strip)	11
STAS windsor & riva		12
RP50220	windsor 120 cm	12
RP50224	windsor 240 cm	12
RP50120	riva 120 cm	12
RP50124	riva 240 cm	12
STAS Monarch line		13
RK10300	Monarch rail 300 cm white	13
RK70300	Monarch rail 300 cm primer	13
PS50316	end cap set	13
KN30300	rail connector	13
STAS j-rail		14
RJ10115	j-rail white 150 cm (4 holes per m¹)	14
RJ10120	j-rail white 200 cm (4 holes per m¹)	14
RJ10130	j-rail white 300 cm (4 holes per m¹)	14
RJ30115	j-rail alu 150 cm (4 holes per m¹)	14
RJ30120	j-rail alu 200 cm (4 holes per m¹)	14
RJ30130	j-rail alu 300 cm (4 holes per m¹)	14
SJ10100	j-rail screw flush head white	14
SJ30100	j-rail screw flush head alu	14
SR50700	plug 6 x 30 mm hard / soft wall	14

* rail without 12 V conductor

** combicap: 2 x end cap/1 x corner cap

article code	product description	page nr.
STAS j-rail max		15
RJ10215	j-rail max white 150 cm (4 holes per m¹)	15
RJ10220	j-rail max white 200 cm (4 holes per m¹)	15
RJ10230	j-rail max white 300 cm (4 holes per m¹)	15
RJ30215	j-rail max alu 150 cm (4 holes per m¹)	15
RJ30220	j-rail max alu 200 cm (4 holes per m¹)	15
RJ30230	j-rail max alu 300 cm (4 holes per m¹)	15
SJ10200	j-rail max screw sunk head white	15
SJ30200	j-rail max screw sunk head alu	15
SR50700	plug 6 x 30 mm hard / soft wall	15
STAS u-rail		16
RP10115	u-rail white 150 cm (8 holes per m¹)	16
RP10120	u-rail white 200 cm (8 holes per m¹)	16
RP10130	u-rail white 300 cm (8 holes per m¹)	16
RP30115	u-rail alu 150 cm (8 holes per m¹)	16
RP30120	u-rail alu 200 cm (8 holes per m¹)	16
RP30130	u-rail alu 300 cm (8 holes per m¹)	16
RP20115	u-rail black 150 cm (8 holes per m¹)	16
RP20120	u-rail black 200 cm (8 holes per m¹)	16
RP20130	u-rail black 300 cm (8 holes per m¹)	16
SP10100	u-rail screw white	16
SP20100	u-rail screw black	16
SP30100	u-rail screw alu	16
STAS plasterboard rail		17
PC10120	plasterboard rail 9,5 mm - 200 cm (5 holes per m¹)	17
PC10130	plasterboard rail 9,5 mm - 300 cm (5 holes per m¹)	17
PC10020	plasterboard rail 12,5 mm - 200 cm (5 holes per m¹)	17
PC10030	plasterboard rail 12,5 mm - 300 cm (5 holes per m¹)	17
PC10170	inside corner profile 9,5 mm (with corner connector)	17
PC10070	inside corner profile 12,5 mm (with corner connector)	17
PC10180	outside corner profile 9,5 mm (with corner connector)	17
PC10080	outside corner profile12,5 mm (with corner connector)	17
RD20400	rail connector	17
RD20500	corner connector	17
SR10400	hammer fixing plug (5 per m²)	17
STAS drop ceiling rail		18
GC10020	drop ceiling rail 200 cm	18
GC10030	drop ceiling rail 300 cm	18
GC10070	inside corner profile (with corner connector)	18
GC10080	outside corner profile (with corner connector)	18

article code	product description	page nr.
RD20400	rail connector	18
RD20500	corner connector	18
SR10400	hammer fixing plug (5 per m²)	18
STAS prorail flat		19
RH10510	prorail flat white 100 cm (4 holes per m²) *	19
RH10515	prorail flat white 150 cm (4 holes per m²) *	19
RH10520	prorail flat white 200 cm (4 holes per m²) *	19
RH10530	prorail flat white 300 cm (4 holes per m²) *	19
RD20500	prorail flat corner connector white	19
RD20400	prorail flat rail connector	19
SJ10200	multirail flat screw	19
SR50700	plug 6 x 30 mm hard / soft wall	19
STAS prorail crown		20
RH10415	prorail crown white 150 cm (4 holes per m²) *	20
RH10420	prorail crown white 200 cm (4 holes per m²) *	20
RH10430	prorail crown white 300 cm (4 holes per m²) *	20
RD20500	multirail crown corner connector white	20
RD20400	multirail crown rail connector	20
SJ10200	multirail crown screw white	20
SR50700	plug 6 x 30 mm hard / soft wall	20
STAS evoluon		21
TCS30020	evoluon 200 cm (4 holes per m²)	21
TCS9012	distance holder evoluon	21
TCS9016	evoluon hook	21
TCS9020	bending mold evoluon	21
SJ30300	evoluon screw 4 x 45 flush head	21
SR50700	plug 6 x 30 mm hard / soft wall	21
STAS drywallXpress		22
RD40400	drywallXpress clip	22
RD40501	drywallXpress tool	22
RD40600	drywallXpress set (100 x) + 1 x tool	22
RT40200	drywallXpress rail connector	22
STAS separate rail parts		
PS50105	rail installation kit 2 m² (6 x clip/screw/plug)	
RD10100	railclip plastic	

article code	product description	page nr.
Rail systems with lighting		23
STAS multirail		24
VH10150	multirail white 150 cm	24
VH10200	multirail white 200 cm	24
VH10300	multirail white 300 cm	24
VH30150	multirail alu 150 cm	24
VH30200	multirail alu 200 cm	24
VH30300	multirail alu 300 cm	24
VC20150	multirail black 150 cm	24
VC20200	multirail black 200 cm	24
VC20300	multirail black 300 cm	24
VE10200	multirail end cap white	24
VE30200	multirail end cap alu	24
VE20200	multirail end cap black	24
VD10400	multirail corner cap white	24
VD30400	multirail corner cap alu	24
VD20400	multirail corner cap black	24
VF50200	multirail conductor 12 V straight	24
VF50100	multirail conductor 12 V corner	24
RD40100	railclip (metal, 3 per m¹)	24
RD40200	rail connector (metal)	24
SR30600	screw torx	24
SR50700	plug 6 x 30 mm hard / soft wall	24
STAS multirail max		25
VC10420	multirail max white 200 cm	25
VC10430	multirail max white 300 cm	25
VC30420	multirail max alu 200 cm	25
VC30430	multirail max alu 300 cm	25
VE10400	multirail max end cap white	25
VE30400	multirail max end cap alu	25
VD20500	multirail max corner cap white	25
VD30500	multirail max corner cap alu	25
VF50200	multirail conductor 12 V straight	25
VF50100	multirail conductor 12 V corner	25
RD40100	railclip (metal, 3 per m¹)	25
RD40200	rail connector (metal)	25
SR30600	screw torx	25
SR50700	plug 6 x 30 mm hard / soft wall	25
STAS multirail crown		26
RC10420	multirail crown white 200 cm (4 holes per m²)	26
RC10430	multirail crown white 300 cm (4 holes per m²)	26

article code	product description	page nr.
RD20500	multirail crown corner connector white	26
RD20400	multirail crown rail connector	26
VF50200	multirail conductor 12 V straight	26
VF50100	multirail conductor 12 V corner	26
SJ10200	multirail crown screw white	26
SR50700	plug 6 x 30 mm hard / soft wall	26
STAS multirail flat		27
RC10520	multirail flat white 200 cm (4 holes per m²)	27
RC10530	multirail flat white 300 cm (4 holes per m²)	27
RD20500	multirail flat corner connector white	27
RD20400	multirail flat rail connector	27
VF50200	multirail conductor 12 V straight	27
VF50100	multirail conductor 12 V corner	27
SJ10200	multirail flat screw	27
SR50700	plug 6 x 30 mm hard / soft wall	27
STAS multirail accessories		28
VL20300	STAS Wi-Fi smart-led	28
VT40800	remote control for STAS Wi-Fi smart-led	28
VT30700	Wi-Fi smartplug	28
VL10200	multirail LED spot 3,5 W 27°	29
VL10900	multirail LED spot 3,5 W 95°	29
VT20500	multirail adapter 18 W	29
VT20036	multirail adapter 36 W	29
VT20084	multirail adapter 84 W	29
VA10500	multirail fixture classic white 50 cm	30
VA10700	multirail fixture classic white 70 cm	30
VA30500	multirail fixture classic chrome 50 cm	30
VA30700	multirail fixture classic chrome 70 cm	30
VA30365	multirail fixture sirius chrome 40 cm	30
VA30465	multirail fixture sirius chrome 50 cm	30
VA30665	multirail fixture sirius chrome 65 cm	30
VA30770	multirail fixture signo chrome 70 cm	30
Hooks and cords for rail systems		31
STAS hooks and cords		32
HA30900	smartspring (4 kg perlon)	32
HA30501	zipper (15 kg perlon + 20 kg steel)	32
HA30530	zipper pro (15 kg perlon + 20 kg steel)	32
CP10110	cobra + perlon cord 100 cm	32
CP10115	cobra + perlon cord 150 cm	32
CP10120	cobra + perlon cord 200 cm	32

article code	product description	page nr.
CP10125	cobra + perlon cord 250 cm	32
CP10130	cobra + perlon cord 300 cm	32
CP10140	cobra + perlon cord 400 cm	32
SC10110	cobra + steel cable 100 cm	32
SC10115	cobra + steel cable 150 cm	32
SC10120	cobra + steel cable 200 cm	32
SC10125	cobra + steel cable 250 cm	32
SC10130	cobra + steel cable 300 cm	32
SC10140	cobra + steel cable 400 cm	32
SC10220	cobra + steel cable white 200 cm (10 kg zipper)	32
SC20220	cobra + steel cable black 200 cm (10 kg zipper)	32
BM20330	blister 2 x smartspring	
BM20340	blister 2 x zipper	
BM20310	blister 2 x cobra + perlon cord 150 cm	
BM20320	blister 2 x cobra + steel cable 150 cm	
BM10280	blister cobra+perlon cord 150 cm+smartspring	
BM10230	blister cobra+perlon cord 150 cm+zipper	
BM10290	blister cobra+steel cable 150 cm+zipper	
PK10100	perlon cord on roll 100 m¹	
STAS Monarch line hooks and cords		33
HA70200	Monarch railhook	33
HA70100	Monarch safety hook	33
SC25150	Monarch steel cable 150 cm	33
SC25200	Monarch steel cable 200 cm	33
SC25250	Monarch steel cable 250 cm	33
SC25300	Monarch steel cable 300 cm	33
SC25450	Monarch steel cable 450 cm	33
STAS j-rail hooks, cords and rods		34
HA30900	smartspring (4 kg perlon)	34
HA30501	zipper (15 kg perlon + 20 kg steel)	34
HA30530	zipper pro (15 kg perlon + 20 kg steel)	34
PH10110	perlon cord with glider 100 cm	34
PH10115	perlon cord with glider 150 cm	34
PH10120	perlon cord with glider 200 cm	34
PH10125	perlon cord with glider 250 cm	34
PH10130	perlon cord with glider 300 cm	34
PH10145	perlon cord with glider 450 cm	34
SH10110	steel cable with glider 100 cm	34
SH10115	steel cable with glider 150 cm	34
SH10120	steel cable with glider 200 cm	34
SH10125	steel cable with glider 250 cm	34

article code	product description	page nr.
SH10130	steel cable with glider 300 cm	34
SH10145	steel cable with glider 450 cm	34
HR10600	j-rail cylinder hook white	34
HR30600	j-rail cylinder hook alu	34
SO10110	j-rail rod 3 mm white 100 cm	34
SO10115	j-rail rod 3 mm white 150 cm	34
SO10120	j-rail rod 3 mm white 200 cm	34
SO10130	j-rail rod 3 mm white 300 cm	34
SO30110	j-rail rod 3 mm alu 100 cm	34
SO30115	j-rail rod 3 mm alu 150 cm	34
SO30120	j-rail rod 3 mm alu 200 cm	34
SO30130	j-rail rod 3 mm alu 300 cm	34
PL10110	perlon cord with loop 100 cm	34
PL10115	perlon cord with loop150 cm	34
PL10120	perlon cord with loop 200 cm	34
PL10125	perlon cord with loop 250 cm	34
PL10130	perlon cord with loop 300 cm	34
SL10110	steel cable with loop 100 cm	34
SL10115	steel cable with loop 150 cm	34
SL10120	steel cable with loop 200 cm	34
SL10125	steel cable with loop 250 cm	34
SL10130	steel cable with loop 300 cm	34
HA30700	j-rail spring hook for rod 3 mm (15 kg)	34
HR10400	j-rail S-hook white (for cord with loop)	34
HR30400	j-rail S-hook chrome (for cord with loop)	34
STAS j-rail max hooks en rods		35
SM10110	j-rail max rod 4x4 white 100 cm	35
SM10115	j-rail max rod 4x4 white 150 cm	35
SM10120	j-rail max rod 4x4 white 200 cm	35
SM10125	j-rail max rod 4x4 white 250 cm	35
SM30110	j-rail max rod 4x4 alu 100 cm	35
SM30115	j-rail max rod 4x4 alu 150 cm	35
SM30120	j-rail max rod 4x4 alu 200 cm	35
SM30125	j-rail max rod 4x4 alu 250 cm	35
SM10215	j-rail max rod 4x10 white 150 cm	35
SM10220	j-rail max rod 4x10 white 200 cm	35
SM10225	j-rail max rod 4x10 white 250 cm	35
HA40600	j-rail max hook for rod 4x4 (40 kg)	35
HA40500	j-rail max hook for rod 4x10 (100 kg)	35
BK10200	4x4 security set, collar + cap	35
HA40700	j-rail max security hook (40 kg)	35

* rail without 12 V conductor

article code	product description	page nr.
STAS flowtrack & plasterrail hooks and cords		36
HA30900	smartspring (4 kg perlon)	36
HA30501	zipper (15 kg perlon + 20 kg steel)	36
HA30530	zipper pro (15 kg perlon + 20 kg steel)	36
HW80000	flowtrack hook	36
PR90001	plasterrail hook	36
PH10110	perlon cord with glider 100 cm	36
PH10115	perlon cord with glider 150 cm	36
PH10120	perlon cord with glider 200 cm	36
PH10125	perlon cord with glider 250 cm	36
PH10130	perlon cord with glider 300 cm	36
PH10145	perlon cord with glider 450 cm	36
SH10110	steel cable with glider 100 cm	36
SH10115	steel cable with glider 150 cm	36
SH10120	steel cable with glider 200 cm	36
SH10125	steel cable with glider 250 cm	36
SH10130	steel cable with glider 300 cm	36
SH10145	steel cable with glider 450 cm	36
STAS windsor & riva hooks and cords		37
HA30900	smartspring (4 kg perlon)	37
HA30501	zipper (15 kg perlon + 20 kg steel)	37
HA30530	zipper pro (15 kg perlon + 20 kg steel)	37
PL10110	perlon cord with loop 100 cm	37
PL10115	perlon cord with loop 150 cm	37
PL10120	perlon cord with loop 200 cm	37
PL10125	perlon cord with loop 250 cm	37
PL10130	perlon cord with loop 300 cm	37
SL10110	steel cable with loop 100 cm	37
SL10115	steel cable with loop 150 cm	37
SL10120	steel cable with loop 200 cm	37
SL10125	steel cable with loop 250 cm	37
SL10130	steel cable with loop 300 cm	37
HW10200	hook windsor white	37
HW30200	hook windsor alu	37
HW60200	hook windsor gold	37
HW50700	hook riva	37
STAS evoluon & qubic hooks and cords		38
HA30900	smartspring (4 kg perlon)	38
HA30501	zipper (15 kg perlon + 20 kg steel)	38
HA30530	zipper pro (15 kg perlon + 20 kg steel)	38
PH10110	perlon cord with glider 100 cm	38
PH10115	perlon cord with glider 150 cm	38
PH10120	perlon cord with glider 200 cm	38
PH10125	perlon cord with glider 250 cm	38
PH10130	perlon cord with glider 300 cm	38
PH10145	perlon cord with glider 450 cm	38
SH10110	steel cable with glider 100 cm	38
SH10115	steel cable with glider 150 cm	38
SH10120	steel cable with glider 200 cm	38
SH10125	steel cable with glider 250 cm	38
SH10130	steel cable with glider 300 cm	38
SH10145	steel cable with glider 450 cm	38
Magnetic hanging solutions		40
BM20360	magnet set	41
MB10050	white magnets (10 pieces)	41
BM20370	coloured magnet set	41
MB10040	coloured magnets (10 pieces)	41
BM20380	magnet set 2-in-1 *(cobra + loop)*	41
Other hanging solutions		42
STAS papergrip		43
PG10105	papergrip white 50 cm	43
PG10110	papergrip white 100 cm	43
PG10115	papergrip white 150 cm	43
PG10120	papergrip white 200 cm	43
PG15005	papergrip white textured 50 cm	43
PG15010	papergrip white textured 100 cm	43
PG15015	papergrip white textured 150 cm	43
PG15020	papergrip white textured 200 cm	43
PG30105	papergrip alu textured 50 cm	43
PG30110	papergrip alu textured 100 cm	43
PG30115	papergrip alu textured 150 cm	43
PG10120	papergrip alu textured 200 cm	43
PG20105	papergrip black textured 50 cm	43
PG20110	papergrip black textured 100 cm	43
PG20115	papergrip black textured 150 cm	43
PG20120	papergrip black textured 200 cm	43
PG30310	papergrip alu 100 cm	43
PG30320	papergrip alu 200 cm	43
PG90001	papergrip end cap white	43
PG90003	papergrip end cap alu	43
PG90002	papergrip end cap black	43
RD40100	railclip (metal, 3 per m¹)	43
RD40200	rail connector (metal)	43
SR30600	screw torx	43
SR50700	plug 6 x 30 mm hard / soft wall	43
STAS papergrip accessoires		44
SPG10105	grip-up white 50 cm	44
SPG10110	grip-up white 100 cm	44
SPG10115	grip-up white 150 cm	44
SPG10120	grip-up white 200 cm	44
SPG30105	grip-up alu textured 50 cm	44
SPG30110	grip-up alu textured 100 cm	44
SPG30115	grip-up alu textured 150 cm	44
SPG30120	grip-up alu textured 200 cm	44
SPG20105	grip-up black 50 cm	44
SPG20110	grip-up black 100 cm	44
SPG20115	grip-up black 150 cm	44
SPG20120	grip-up black 200 cm	44
SPG90011	grip-up end cap set l+r white	44
SPG90015	grip-up end cap set l+r alu	44
SPG90013	grip-up eindkap set l+r black	44
SPG90010	grip-up wall clip for wall mounting (4 clips per m¹)	44
HA40110	papergrip hanger	44
PG40110	papergrip hanger stabilisation set	44
PG20007	name tag	44
HA40410	papergrip hook white	44
HA40412	papergrip hook alu	44
HA40411	papergrip hook black	44
STAS poster hangers		45
PS20021	posterhanger teak 21cm	45
PS20021W	posterhanger wit 21cm	45
PS20021Z	posterhanger zwart 21cm	45
PS20030	posterhanger teak 30cm	45
PS20031W	posterhanger wit 31cm	45
PS20031Z	posterhanger zwart 31cm	45
PS20041W	posterhanger wit 41cm	45
PS20041Z	posterhanger zwart 41cm	45
PS20042	posterhanger teak 42cm	45
PS20050	posterhanger teak 50cm	45
PS20051W	posterhanger wit 51cm	45
PS20051Z	posterhanger zwart 51cm	45
PS20060	posterhanger teak 60cm	45
PS20061W	posterhanger wit 61cm	45
PS20061Z	posterhanger zwart 61cm	45
PS20070	posterhanger teak 70cm	45
PS20071W	posterhanger wit 71cm	45
PS20071Z	posterhanger zwart 71cm	45
PS20081W	posterhanger wit 81cm	45
PS20081Z	posterhanger zwart 81cm	45
PS20084	posterhanger teak 84cm	45
PS20091W	posterhanger wit 91cm	45
PS20091Z	posterhanger zwart 91cm	45
PS20100	posterhanger teak 100cm	45
PS20101W	posterhanger wit 101cm	45
PS20101Z	posterhanger zwart 101cm	45
PS50030	poster strip set transparant 30 cm	45
PS50042	poster strip set transparant 42 cm	45
PS50050	poster strip set transparant 50 cm	45
PS50060	poster strip set transparant 60 cm	45
PS50070	poster strip set transparant 70 cm	45
PS50084	poster strip set transparant 84 cm	45
PS50110	poster strip set transparant 100 cm	45
PS30050	poster snap set alu 50 cm	45
PS30070	poster snap set alu 70 cm	45
PS30100	poster snap set alu 100 cm	45
BM20350	picture hits	45
PS10042	signtrack set 42 cm	45
PS10060	signtrack set 60 cm	45
PS10080	signtrack set 80 cm	45
PS10100	signtrack set 100 cm	45
PS10120	signtrack set 120 cm	45
PS10200	signtrack set 200 cm	45
STAS hooks and hangers		47
HW10300	panel hook white 11 mm	47
HW10400	panel hook white 16 mm	47
HW10600	panel hook white 18 mm	47
HW10500	panel hook white 21 mm	47
HW10700	panel hook white 26 mm	47
HW10800	panel hook white 31 mm	47
HW30700	panel hook alu interselect	47
HW30800	panel hook alu lux window frame	47
HW50100	panel hook transparant alcoa	47
HW30300	panel hook alu verwol type 1*	47
HW30400	panel hook alu verwol type 2	47
HW30500	panel hook alu sepa normal	47
HW10200	molding hook white	47
HW30200	molding hook alu	47
HW60200	molding hook gold	47
HW50400	panel hook askon chrome	47
HW50500	panel hook PE transparant	47
HW50600	panel hook maars	47
HW30600	wandhaak alu sepa lux	47
HW1000	wandhaak TB	47
HA10100	suspended ceiling hook white	47
HA10200	suspended ceiling hook for cords with loop	47
DH10010	double hanger 10 cm alu	47
DH10025	double hanger 25 cm alu	47
DH10040	double hanger 40 cm alu	47
DH10060	double hanger 60 cm alu	47
DH10080	double hanger 80 cm alu	47
RD40400-10	drywall clips	47
STAS picture hooks and hangers		48
BS30900	dibond hanger set 70 x 70 mm, 3 kg	48
BS30800	dibond hanger set 100 x 100 mm, 6 kg	48
BS30500	dibond hanger set 70 x 140 mm, 6 kg	48
BS30700	dibond hanger set 100 x 200 mm, 12 kg	48
BS50400	dibond hanger set ø 90, 3,5 kg	48
MB10080	self-adhesive distance caps round 13 mm (4 st)	48
HW31407-4	sawtooth hanger 40mm with nails (4 pc.)	48
HW31410-4	sawtooth hanger 67mm with nails (4 pc.)	48
HW31406	self-fastening tooth hanger	48
HW31406-4	self-fastening tooth hanger (4 pc.)	48
TH30065	sawtooth hanger 65 mm	48
TH30065-4	sawtooth hanger 65 mm (4 pc.)	48
HW31424-4	d-ring screwhangers (4 pc.)	49
TH30020	d-ring screwhanger 24 mm nickel	49
HW31427-4	sliding hook photo frame (4 pc.)	49
HW31429-4	sliding hook photo frame (4 pc.)	49
HW31447-4	sliding hook photo frame (4 pc.)	49
HW31448-4	sliding hook photo frame (4 pc.)	49
TH30043-4	d-ring hanger set 43 mm	49
TH30054-4	d-ring hanger set 54 mm	49
TH30090-4	d-ring hanger set 90 mm	49
HW70500	d-ring screw hanger set with steel wire	49
SA03020	stable art hanging system (small)	49
SA03010	stable art hanging system (large)	49
SA03030	stable art hook small	49
SA03050	stable art hook large	49
SA03040	stable art hook closed	49
HW31419-4	self-fastening foam board hanger (2 pc.)	49
PC10200	picture clip with screw set (2 pc.)	49
BS30100	security set complete	49
BS30101	security key	49
TM10024	picture hanging hooks assorted box	49
AT10016	no-tilt set	50
AT100010	frame stabilizer	50
SS01100	stabilization support set	50
BT1000	textile frame hanger small (2 pc.)	50
BT1020	textile frame hanger (2 pc.)	50
BT1030	textile frame hanger quare (2 pc.)	50
BH30913	plate hanger 9-13 mm	50
BH31319	plate hanger 13-19 mm	50
BH31520	plate hanger 15-20 mm	50
BH31925	plate hanger 19-25 mm	50
BH32030	plate hanger 20-30 mm	50
BH32535	plate hanger 25-35 mm	50
BH33646	plate hanger 36-46 mm	50
BH30007	vinyl hanger 7 inch	50
BH30012	vinyl hanger 12 inch	50
TH30027	quilt hanger 30 mm	50
TH20036	quilt hanger 36 mm	50
HA40300	wide hook	50
STAS suspension sets		51
SCS40101	suspension set with adjustable loop maker	51
SCS40102	suspension set with safety hook	51
SCS40103	suspension set with panel hanger (4 mm)	51
SCS40104	suspension set with panel hanger (10 mm)	51
SCS40105	suspension set with panel hanger (6 mm)	51
SCS40106	suspension set with 2 safety hooks	51
SCS40107	suspension set with internal M6 screw thread tilt hook	51
SCS40108	suspension set with internal M6 screw thread	51
SCS40109	suspension set with external M6 screw thread tilt hook	51
SCS40110	suspension set with external M6 gripper	51
SCS40111	suspension set with eye hook	52
SCS40112	suspension set with cross anchors	52
SCS40113	suspension set with external M10 cable grip	52
SCS40401	suspension set with safety hook and eye plate (90°)	52
SCS40301	suspension set with cross anchor	52
SCS40302	suspension set with loop	52

* Only available in combination with STAS perlon cord with loop and zipper.

article code	product description	page nr.
SCS40201	suspension set with safety hook	52
SCS40202	suspension set with safety hook	53
SCS40203	suspension set with panel hanger (4 mm)	53
SCS40204	suspension set with panel hanger (10 mm)	53
SCS40205	suspension set with panel hanger (6 mm)	53
SCS40402	acoustic coil spring	53
SCS40403	drop ceiling clip	53
SCS40406	ceiling mount	54
SCS40405	adjustable ceiling mount	54
SCS40505	steel cable with end stop 150 cm	54
SCS40504	steel cable with end stop 200 cm	54
SCS40506	steel cable with end stop 250 cm	54
SCS40507	steel cable with end stop 300 cm	54
SCS40501	steel cable for suspension sets 100 cm	54
SCS40502	steel cable for suspension sets 150 cm	54
SCS40503	steel cable for suspension sets 200 cm	54
SCS40418	suspension set with eye plate (90 o) and steel cable	54
SCS40508	steel cable with loop 100 cm	54
SCS40509	steel cable with loop 150 cm	54
SCS40510	steel cable with loop 200 cm	54
SCS40404	adjustable loop maker	54
SCS40407	safety hook	54
SCS40408	panel hanger (4 mm)	54
SCS40410	panel hanger (10 mm)	54
SCS40417	panel hanger (6 mm)	54
SCS40412	internal M6 screw thread tilt hook	54
SCS40413	internal M6 screw thread	54

article code	product description	page nr.
SCS40414	external M6 screw thread tilt hook	54
SCS40411	external M6 gripper	54
SCS40415	eye hook	54
SCS40416	external M10 cable grip	54
SCS40422	hanger with 2 safety hooks	54
SCS40423	hanger with 2 cross anchors	54
SCS40424	cross anchor	54
SCS40511	steel cable with safety hook	54
SCS40404	adjustable loop maker	54
STAS v-tense & h-tense		55
TSBV150	v-tense 150 cm	55
TSBV300	v-tense 300 cm	55
TSBV450	v-tense 450 cm	55
TSBH150	h-tense 150 cm	55
TSBH300	h-tense 300 cm	55
TSBH450	h-tense 450 cm	55
STAS v-tense & h-tense accessories		57
TCS30001	frame clamp (4,5 mm)	57
TCS30002	frame connector (4,5 mm)	57
TCS30010	tense-frame A4	57
TCS30016	tense-frame A3	57
TCS30003	frame clamp (8,5 mm)	57
TCS30004	frame connector (8,5 mm)	57
TCS30015	tense LED fame	57
VT30600	tense 12V power	57

article code	product description	page nr.
TCS30005	shelf clamp (8,5 mm)	57
TCS30006	shelf connector (8,5 mm)	57
TCS30025	shelf 20 x 30 cm	57
MC10100	metal clips	57
HA30600	security hook	57
TCS30007	signage clip	57
TCS30009	distance clamp	57
STAS qubic (pro)		58
TCS1000	qubic hanger	58
TCS1010	qubic pro hanger	58
TCS9002	qubic end cap black	58
SJ30200	screw qubic	58
SR50700	plug	58
Complementary products		59
STAS accesoires		60
TV10150	TV hanger	60
KH40095W	tunica white 95 cm	60
KH40095Z	tunica black 95 cm	60
KH40430W	clocktica white 43 cm	60
KH40950W	clocktica white 95 cm	60
KH40430Z	clocktica black 43 cm	60
KH40430Z	clocktica black 95 cm	60
MA20010C	eyecatcher chrome	60
MA20010B	eyecatcher black	60
MA20010G	eyecatcher gold	60

Torx T20 screws
We supply a large part of our products with Torx T20 screws for a better grip. These can be easily mounted with a special screwdriver bit or with the STAS screwdriver bit Torx T20.

Disclaimer STAS dibond hanger
It is the user's responsibility to carry out the mounting of the STAS dibond hanger in strict accordance with the supplied mounting instructions. All technical information and data are provided on the basis of quality tests and our many years of practical experience. These are considered an average value and are not suitable for specification. For this reason, STAS picture hanging systems cannot provide any guarantee, either explicitly or implicitly, with regard to the suitability of the STAS dibond hanger for what the user wants to hang. The user is therefore responsible for determining whether the STAS dibond hanger is suitable for the situation in question. In case of doubt, our employees will be happy to advise you.

STAS products TÜV certified
STAS strives day after day for products of the highest quality. To guarantee the quality and independence of products, STAS has commissioned TÜV Netherlands for the testing of its products. TÜV Netherlands is an independent and recognized body that assesses the quality of products according to a set standard and has extensive experience in the field of product safety and product inspections. Under the direction of TÜV, a large part of our range of products has been tested for quality and correctness of the specified features. All products where the TÜV logo is shown, have actually been tested by TÜV Netherlands and approved for the capacity that is stated in the features of that product.



STAS picture hanging systems
Esp 245 | 5633 AD Eindhoven | PO Box 1049 | 5602 BA Eindhoven | The Netherlands
T +31 (0)40 292 48 48 | info@stasgroup.com
www.stasgroup.com

Important note regarding warranty and liability
Products of STAS must be installed and used only in strict accordance with the latest version of the STAS picture hanging systems installation guide, available for download at www.stasgroup.com. It is the responsibility of the installer to select the correct fasteners for the particular installation. Improper installation, misuse, misapplication or otherwise failing to completely follow seller's instructions and warnings may cause product malfunction, property damage or personal injury.

SB30096/112026