

# PRODUCT SHEET

## Outdoor Lockable Showcase Illuminated Logo 6 x A4

SCT6xA4PHLED




- 6x A4 showcase for outdoor use IP56 certified
- Comes with a magnetic writable metall backwall
- Front with a hinged door with ESG safety glass
- Highlight your logo on the topcard

# PRODUCT SHEET

## Outdoor Lockable Showcase Illuminated Logo 6 x A4

SCT6xA4PHLED



### PLEASE NOTE!

If the connection for the mains power supply to the transformer is outdoors or within a humid environment an IP weather proof connection box (as shown) is required. To avoid this we would recommend the transformer is situated inside the building with the 230-240v connection indoors.

### BITTE BEACHTEN!

Sollte sich die Verbindung des Haupt-Stromanschlusses zum Transformator im Außenbereich befinden oder aber in einer feuchten Umgebung, so muss ein Gehäuse mit einer IP Schutzklassifizierung (siehe Abbildung) zur Verkabelung verwendet werden. Um dies zu vermeiden, sollte der Transformator möglichst innerhalb eines Gebäudes mit einem 230-240V Innen-Anschluss untergebracht sein.

### ACCESSORIES ZUBEHÖR



(MAGNETS)  
MAGNETS  
MAGNETE



(SETFIXWB)  
MARKER PENS  
WHITEBOARDMARKER-SET



(WBERASER)  
ERASER  
WHITEBOARDSCHWAMM



(WBCLEANER)  
SPRAY CLEANER  
WHITEBOARDREINIGER



(STARTERKIT)  
STARTERKIT  
STARTERSET

# PRODUCT SHEET

## Outdoor Lockable Showcase Illuminated Logo 6 x A4

SCT6xA4PHLED

### GENERAL INFO

| SKU          | Sizes (mm)<br>(A x B x C) | Format (mm) | Visible size (mm)<br>(VXxVY) | Hole spacing (mm)<br>(XxY) |
|--------------|---------------------------|-------------|------------------------------|----------------------------|
| SCT6xA4PHLED | 805 x 860 x 47            | 6 x A4      | 678 x 633 mm                 | -                          |
| Orientation  | Weight (kg)               |             |                              |                            |
| Vertical     | 17,30                     |             |                              |                            |

### ELECTRICAL INFORMATION

| Illumination | Lighting colour (K) | Luminosity (cd) | Light intensity (lx) | Wattage (W) |
|--------------|---------------------|-----------------|----------------------|-------------|
| Yes          | 6000 - 7000 K       | -               | -                    | 6,4 W       |

### PACKAGING INFORMATION

| Packaging unit 1<br>(mm)    | Packaging unit 2<br>(mm) | Packaging unit 3<br>(mm) |
|-----------------------------|--------------------------|--------------------------|
| 1014 x 874 x 104            | -                        | -                        |
| Palette number of<br>pieces | Palette weight (kg)      | Palette type             |
| 14                          | 293                      | EUR                      |

### ADDITIONAL INFORMATION

| Product certifications | EAN           |
|------------------------|---------------|
| IP56, DIN4102B1        | 8595578322385 |