

# PRODUCT SHEET

## Indoor Lockable Showcase With Sliding Doors Slim With Safety Cor

SCSLR6xA4




- 4 mm sliding security glass doors (ESG)
- With round ABS plastic corners for safety
- For indoor use B1 certified

# PRODUCT SHEET

## Indoor Lockable Showcase With Sliding Doors Slim With Safety Cor

SCSLR6xA4



# PRODUCT SHEET

## Indoor Lockable Showcase With Sliding Doors Slim With Safety Cor SCSLR6xA4

| GENERAL INFO |                           |             |                              |                            |
|--------------|---------------------------|-------------|------------------------------|----------------------------|
| SKU          | Sizes (mm)<br>(A x B x C) | Format (mm) | Visible size (mm)<br>(VXxVY) | Hole spacing (mm)<br>(XxY) |
| SCSLR6xA4    | 686 x 641 x 50            | 6 x A4      | 660 x 615                    | -                          |
| Orientation  | Weight (kg)               |             |                              |                            |
| Vertical     | 8,74                      |             |                              |                            |

| ELECTRICAL INFORMATION |                     |                 |                      |             |
|------------------------|---------------------|-----------------|----------------------|-------------|
| Illumination           | Lighting colour (K) | Luminosity (cd) | Light intensity (lx) | Wattage (W) |
| No                     | -                   | -               | -                    | -           |

| PACKAGING INFORMATION       |                          |                          |
|-----------------------------|--------------------------|--------------------------|
| Packaging unit 1<br>(mm)    | Packaging unit 2<br>(mm) | Packaging unit 3<br>(mm) |
| 787 x 742 x 112             | -                        | -                        |
| Palette number of<br>pieces | Palette weight (kg)      | Palette type             |
| 23                          | 268                      | EUR                      |

| ADDITIONAL INFORMATION |               |
|------------------------|---------------|
| Product certifications | EAN           |
| DIN4102B1              | 8596052182587 |